


Calidris temminckii

TEMMINCK'S STINT



Non-SPEC (1994: —) **Status** (Secure)

Criteria —


European IUCN Red List Category —

Criteria —

Global IUCN Red List Category —

Criteria —

Calidris temminckii breeds mainly in Fennoscandia and arctic Russia, with Europe accounting for less than half of its global breeding range. Estimates of its European breeding population vary widely, but it is probably relatively large (as many as 420,000 pairs), and was stable between 1970–1990. Although there were declines in Sweden and Finland during 1990–2000, populations in Norway and the Russian stronghold were stable, and the species probably remained stable overall. Consequently, it is provisionally evaluated as Secure.



Country	Breeding pop. size (pairs)	Year(s)	Trend	Mag.%	References
Estonia	0 – 1	98	?	–	1
Finland	500 – 1500	98–02	–	50	
Norway	(3,000 – 10,000)	90–03	(0)	(0–19)	
Russia	(75,000 – 400,000)	90–00	(0)	(0–19)	28,29,60
Sweden	6,000 – 7,000	99–00	(–)	(0–9)	
UK	2 – 4	96–00	–	18	

Total (approx.)	85,000 – 420,000	Overall trend Stable			
Breeding range	>500,000 km ²	Gen. length <3.3 % Global pop. 25–49			

Country	Winter pop. size (individuals)	Year(s)	Trend	Mag.%	References
Azerbaijan	(50 – 500)	96–02	(0)	(0–19)	
Cyprus	0 – 20	94–02	?	–	
France	5 – 15	98–02	?	–	
Italy	(0 – 9)	02	?	–	22
Spain	(0 – 50)	90–01	(0)	(0–19)	
Turkey	(20 – 200)	91–01	(F)	(>80)	

Total (approx.)	>80	Overall trend Fluctuating			
% in European IBAs	Unknown	Gen. length <3.3 % Global pop. <5			

2000 population

97

3

1990 population

100

Data quality (%) – *Calidris temminckii*

□ unknown □ poor ■ medium ■ good

1990–2000 trend

100

1970–1990 trend

100