



THE IUCN RED LIST
OF THREATENED SPECIES™



Locustella naevia (Common Grasshopper-warbler)

European Red List of Birds

Supplementary Material

The European Union (EU27) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2013-14.

For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2015).

Contents

Reported national population sizes and trends	p. 2
Trend maps of reported national population data	p. 4
Sources of reported national population data	p. 6
Species factsheet bibliography	p. 10

Recommended citation

BirdLife International (2015) European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.

Further information

- <http://www.birdlife.org/datazone/info/euroredlist>
- <http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
- <http://www.iucnredlist.org/initiatives/europe>
- <http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Locustella naevia (Common Grasshopper-warbler)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
Armenia	100-200	<1	2002-2012	medium	?				?				
Austria	1,300-2,400	<1	2001-2012	medium	0	0	2001-2012	medium	?				
Azerbaijan	1,000-10,000	<1	1996-2000	poor	?				?				
Belarus	12,000-17,000	1	2001-2012	medium	0	0	2001-2012	medium	0	0	1980-2012	medium	
Belgium	2,500-4,000	<1	2008-2012	medium	0	0	2000-2012	medium	+	92-208	1973-2012	medium	
Bosnia & HG	0-10	<1	2010-2014	poor	?				?				
Bulgaria	0-10	<1	2005-2012	medium	?				?				
Croatia	5,000-15,000	1	2014	poor	?				?				
Czech Rep.	10,260-20,520	1	2012	medium	-	30-84	2000-2012	good	0	0	1982-2012	good	
Denmark	1,100	<1	2011	medium	+	19	1999-2011	good	-	33-50	1980-2011	good	
Estonia	70,000-100,000	7	2008-2012	medium	-	20-50	2001-2012	medium	-	20-50	1980-2012	medium	
Finland	3,000-8,000	<1	2006-2012	medium	0	0	2000-2011	good	+	35-72	1980-2011	good	
France	13,000-19,000	1	2008-2012	medium	0	0	2001-2011	medium	0	0	1989-2011	medium	
Georgia	Present	<1			?				?				
Germany	36,000-63,000	4	2005-2009	good	-	11-38	1998-2009	good	-	40-73	1990-2009	good	
Hungary	4,700-7,800	1	2000-2012	medium	-	78	1999-2012	medium	?				
Rep. Ireland	12,990-63,080	2	2006-2011	good	+	48-145	1998-2011	good	?				
Latvia	57,080-227,158	10	2012	good	+	40-140	2001-2012	good	+	90-700	1995-2012	good	
Liechtenstein	25-30	<1	2009-2014	good	0	0	2003-2014	good	0	0	1980-2014	medium	
Lithuania	40,000-60,000	4	2008-2012	medium	0	0	2001-2012	medium	0	0	1980-2012	medium	
Luxembourg	400-500	<1	2008-2012	medium	-	0-10	2000-2012	medium	-	10-20	1980-2012	medium	
Moldova	30-80	<1	2000-2010	medium	-	20-40	2000-2010	medium	-	15-30	1980-2010	medium	
Netherlands	5,769-8,654	1	2008-2011	medium	+	61-103	2002-2011	good	+	194-376	1984-2011	good	
Norway	200-250	<1	2008-2010	poor	0	0	2000-2013	poor	?				
Poland	110,000-150,000	11	2008-2012	good	0	0	2000-2012	good	?				
Romania	100-1,000	<1	2001-2013	poor	?				?				
Russia	500,000-800,000	53	2000-2008	poor	+	5-30	2000-2012	medium	?				
Serbia	15-30	<1	2008-2012	medium	0	0	2000-2012	medium	0	0	1980-2012	medium	
Slovakia	500-800	<1	2000-2012	medium	-	10-20	2000-2012	medium	-	10-20	1980-2012	medium	
Slovenia	150-300	<1	2007-2012	medium	?				?				
Spain	5,000-10,000	1	1998-2001	good	0	0	1998-2011	good	?				
Sweden	2,700-6,600	<1	2008-2012	medium	0	0	2001-2012	medium	-	55-85	1980-2012	medium	

Locustella naevia (Common Grasshopper-warbler)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
Switzerland	200-300	<1	2008-2012	medium	0	0	2001-2012	good	+	4-74	1990-2012	medium	
Turkey	50-500	<1	2013	poor	0	0	2000-2012	poor	-		1990-2013	poor	
Ukraine	5,000-8,000	1	2000	medium	F	5-15	1998-2010	medium	F	15-20	1980-2010	medium	
United Kingdom	16,000	1	2009	medium	+	24	1998-2010	good	-		1970-2009	medium	
EU27	393,000-770,000	45			Stable								
Europe	916,000-1,620,000	100			Increasing								

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁵ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁶ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|----------------------------------|----------------------------------|
| ▲ Large increase ($\geq 50\%$) | ▼ Large decrease ($\geq 50\%$) |
| ▲ Moderate increase (20–49%) | ▼ Moderate decrease (20–49%) |
| ▲ Small increase (<20%) | ▼ Small decrease (<20%) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |

- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- ✗ Extinct since 1980

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.





Figure 2. Breeding population sizes and long-term trends across Europe.



Sources

Armenia

Breeding population size: ASPB data

Austria

Breeding population size: BirdLife Austria, extrapolation on the basis of available unpublished and published population and density data

Breeding short-term trend: BirdLife Austria, estimate on the basis of available unpublished and published trend data

Azerbaijan

Breeding population size: BirdLife International 2004

Belarus

Breeding population size: Zhuravliev D.V. - personal communication

Breeding short-term trend: BirdLife International (2004) Birds in Europe: population estimates, trends and conservation status. Cambridge, UK: BirdLife International. (BirdLife Conservation Series, No 12).

Breeding long-term trend: Nikiforov M.E., Kozulin A.V., eds. Belarussian birds at the beginning of XXI century: status, numbers, distribution. - 1997. - Minsk. - 187 p.

Belgium

Breeding population size: Data Breeding Bird atlas Wallonia (Jacob et al 2010), Brussels (Weiserbs 2012) and Flanders (Vermeersch et al 2004) in combination with trend data.

Breeding short-term trend: Common bird monitoring schemes

Breeding long-term trend: Comparison between 2008-2012 estimate and Devillers, 1989 (Atlas of the Belgian Breeding Bird) population estimate

Bosnia and Herzegovina

Breeding population size: unpublis data

Bulgaria

Breeding population size: Zehtindjiev, P., Ilieva, M., Delov, V. 2007. Locustella naeva. In: Iankov, P. (Ed.) Atlas of breeding birds in Bulgaria. Bulgarian Society for the Protection of Birds Conservation series, Book 10, BSPB, Sofia. Nankinov,D. et al. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 2004.

Breeding short-term trend: Zehtindjiev, P., Ilieva, M., Delov, V. 2007. Locustella naeva. In: Iankov, P. (Ed.) Atlas of breeding birds in Bulgaria. Bulgarian Society for the Protection of Birds Conservation series, Book 10, BSPB, Sofia. Nankinov,D. et al. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 2004.

Breeding long-term trend: Zehtindjiev, P., Ilieva, M., Delov, V. 2007. Locustella naeva. In: Iankov, P. (Ed.) Atlas of breeding birds in Bulgaria. Bulgarian Society for the Protection of Birds Conservation series, Book 10, BSPB, Sofia. Nankinov,D. et al. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 2004.

Croatia

Breeding population size: BiE III Work group, CroatiaLolić, I. (2011): Motrenje zajednice ptica gnjezdarica močvarnih staništa uz rijeku Lisnu i jezero Parila od 2007. – 2011. Izvješće za DZZP. HOD, Zagreb.

Breeding short-term trend: BiE III Work group, Croatia

Breeding long-term trend: BiE III Work group, Croatia

Czech Republic

Breeding population size: STASTNY K., BEJCEK V. & HUDEC K. 2006: Atlas hnizdniho rozsireni ptaku v Ceske republice. Aventinum Praha. JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=754>

Breeding short-term trend: JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=754>

Breeding long-term trend: JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=754>

Denmark

Breeding population size: BIRDLIFE INTERNATIONAL (2004) Birds in Europe: population estimates, trends and conservation status. Wageningen, The Netherlands: BirdLife International. (BirdLife Conservation Series No. 12) Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding short-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding long-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1980-2011)

Estonia

Breeding population size: Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Breeding short-term trend: Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Breeding long-term trend: Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Locustella naevia (Common Grasshopper-warbler)

Finland

Breeding population size: BirdLife Finland 2013: Regional observation summary database of Finnish birdwatching societies on scarce birds.

Breeding short-term trend: BirdLife Finland 2013: Regional observation summary database of Finnish birdwatching societies on scarce birds.

Breeding long-term trend: BirdLife Finland 2013: Regional observation summary database of Finnish birdwatching societies on scarce birds.

France

Breeding population size: <http://www.atlas-ornitho.fr/>

Breeding short-term trend: Johannot F. et Weltz M. 2012 Cahiers d'habitats Natura 2000-Oiseaux, p. 275-277 <http://vigenature.mnhn.fr/>

Breeding long-term trend: Johannot F. et Weltz M. 2012 Cahiers d'habitats Natura 2000-Oiseaux, p. 275-277 <http://vigenature.mnhn.fr/>

Georgia

Breeding population size: BirdLife International 2004

Germany

Breeding population size: Gedeon, K., C. Grüneberg, A. Mitschke & C. Sudfeldt (in Vorb.): Atlas Deutscher Brutvogelarten. SVD & DDA, Münster.

Breeding short-term trend: Monitoring häufiger Brutvögel

Breeding long-term trend: Monitoring häufiger Brutvögel

Hungary

Breeding population size: National common bird monitoring scheme (MMM) database. Szép, T., Nagy, K., Nagy, Zs. & Halmos, G. (2012): Population trends of common breeding and wintering birds in Hungary, decline of long-distance migrant and farmland birds during 1999-2012. *Ornis Hungarica* 2012. 20(2): 13-63.

Breeding short-term trend: National common bird monitoring scheme (MMM) database. Szép, T., Nagy, K., Nagy, Zs. & Halmos, G. (2012): Population trends of common breeding and wintering birds in Hungary, decline of long-distance migrant and farmland birds during 1999-2012. *Ornis Hungarica* 2012. 20(2): 13-63.

Republic of Ireland

Breeding population size: Crowe, O., Musgrave, A.J. & O'Halloran, J. (2014). Generating population estimates for common and widespread breeding birds in Ireland. *Bird Study* 61 (1) 82 - 90.

Breeding short-term trend: Crowe, O. (2013). Calculation of short-term trends for Common and Widespread Breeding Birds for Article 12 Reporting. Unpublished report.

Breeding long-term trend: Balmer, D., Gillings, S., Caffrey, B., Swan, B., Downie, I. & Fuller, R. (2013) *Bird Atlas 2007-11 The breeding and wintering birds of Britain and Ireland*. British Trust for Ornithology. Expert opinion: O. Crowe, BirdWatch Ireland, <http://birdwatchireland.ie/>. Sharrock, J.T.R. (1976) *The Atlas of Breeding Birds in Britain and Ireland*. T. & AD Poyser.

Latvia

Breeding population size: Calculation based on data collected in Latvian Breeding bird monitoring scheme: Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.] (in Latvian) Latvian Ornithological society, 47 pp

Breeding short-term trend: Aunins A. 2006. [Ensuring continuity and compatibility of bird monitoring data regarding changes in the Biodiversity monitoring section of the National Monitoring programme]. Aunins A. 2012. [Changes in the Abundance of Common Birds in Latvia during the Previous Seven Years]. Putni Dabā 2013/1, 10 - 13. Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.]. Latvian Ornithological society, 47 pp.

Breeding long-term trend: Aunins A. 2006. [Ensuring continuity and compatibility of bird monitoring data regarding changes in the Biodiversity monitoring section of the National Monitoring programme]. Aunins A. 2012. [Changes in the Abundance of Common Birds in Latvia during the Previous Seven Years]. Putni Dabā 2013/1, 10 - 13. Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.]. Latvian Ornithological society, 47 pp.

Liechtenstein

Breeding population size: Willi, G. (2014) Unpublished collection data

Breeding short-term trend: Willi, G. (2006) *Die Vögel des Fürstentums Liechtenstein*. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

Breeding long-term trend: Willi, G. & M.F. Broggi (1986) *Die Vogelwelt des Fürstentums Liechtenstein unter Berücksichtigung der benachbarten Gebiete; Teil III: Passeriformes*. Ber. Bot.-Zool. Ges. Liechtenstein-Sargans-Werdenberg, Band 15, S. 37-82.; Willi, G. (2006) *Die Vögel des Fürstentums Liechtenstein*. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

Lithuania

Breeding population size: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) Jusys, V., Karalius, S., Raudonikis, L. 2012. *Lietuvos paukščių pažinimo vadovas*. Kaunas: „Lututė“, 288 p.

Breeding short-term trend: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) Jusys, V., Karalius, S., Raudonikis, L. 2012. *Lietuvos paukščių pažinimo vadovas*. Kaunas: „Lututė“, 288 p. Kurlavičius, P. (ed.) 2006. *Lietuvos perlinčių paukščių atlasas*. Kaunas: „Lututė“, 256 p. Raudonikis L. 2004. Lithuania. In: *Birds in Europe: population estimates, trends, and conservation status*. BirdLife International, BirdLife Conservation Series No12, Cambridge, UK.

Breeding long-term trend: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) BirdLife International/European Bird Census Council. 2000. European bird populations: estimates and trends. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 10). Kurlavičius, P. (ed.) 2006. *Lietuvos perlinčių paukščių atlasas*. Kaunas: „Lututė“, 256 p.

Luxembourg

Breeding population size: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): *Die Vögel Luxemburgs*. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

Breeding short-term trend: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): *Die Vögel Luxemburgs*. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

Locustella naevia (Common Grasshopper-warbler)

Luxembourg

Breeding long-term trend: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): Die Vögel Luxemburgs. LNVL, Luxembourg. ISBN: 978-2-919920-01-3 Melchior E., E. Mentgen, R. Peltzer, R. Schmitt, J. Weiss (1987): Atlas der Brutvögel Luxemburgs. Lëtzebuerger Natur- a Völleschutzliga. Kremer-Muller & Cie, Foetz, Luxembourg

Moldova

Breeding population size: The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

Breeding short-term trend: The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

Breeding long-term trend: The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p. Аверин Ю. В., Ганя И.М., Успенский Г. Птицы Молдавии, том 2, Кишинев, 1971, 240p Burfield I., Bommel van F., Birds in Europe. Population estimates, trends and conservation status. BirdLife International. Oxford, 2004. 374p. Zubcov, N., Birds of Moldova // The Birds of the Western Palearctic. Oxford University Press, Oxford. 1998, 1850 p.

Netherlands

Breeding population size: NEM, Sovon en CBS, SOVON (2002)

Breeding short-term trend: NEM, Sovon en CBS, Boele et al. (2013)

Breeding long-term trend: NEM, Sovon en CBS

Norway

Breeding population size: Norsk faunakomiteen for fugler (NFKF)

Breeding short-term trend: same as 2.6 (population sources)

Poland

Breeding population size: Chodkiewicz T., Kuczyński L., Sikora A., Ławicki Ł., Chylarecki P., Neubauer G., Meissner W., Rohde Z. 2013. Opracowanie raportu dla Komisji Europejskiej z wdrażania Dyrektywy Ptasiej w Polsce w zakresie Monitoringu Ptaków Polski w Państwowym Monitoringu Środowiska. Sprawozdanie dla Głównego Inspektoratu Ochrony Środowiska. OTOP, Marki.

Breeding short-term trend: MPPL: Chylarecki P. 2013. Czynniki kształtujące zmiany liczebności pospolitych ptaków Polski w latach 2000-2012. MiłZ PAN Warszawa. Bogucki. Wyd. Nauk. 1-126; Chodkiewicz T., Woźniak B., Chylarecki P. 2012. Monitoring Pospolitych Gatunków Ptaków. In: Podsumowanie sezonu lęgowego Monitoringu Ptaków Polski w 2012 r. OTOP, MiłZ, KOO, SOS: 29-45 (source: http://monitoringptakow.gios.gov.pl/raporty?file=files/pliki/raporty_faza4/RaportMPP4_etap1_zad2%264_wiosna2012.pdf)

Romania

Breeding population size: 1. "Milvus Group" Bird and Nature Protection Association database, unpublished data 2. Romanian Ornithological Society database, unpublished data 3. Romanian Common Bird Monitoring Database 4. www.rombird.ro

Russia

Breeding population size: Ravkin E.S., Ravkin Yu.S. 2005. Birds of Northern Eurasian plains: numbers, distribution, spatial organization of communities. Novosibirsk, Nauka: 304 p. (in Russian). Numerov A.D. 1996. Class Birds Aves. – Natural resources of Voronezh Region. Vertebrate Animals. Cadaster. Voronezh, Biomik: 48-159 (in Russian). Sarychev V.S. (ed.) 2009. Vertebrates of Lipetsk Region. Voronezh: 494 p. Sarychev V.S., unpublished. vssar@yandex.ru Belik V.P. 2005. Cadastre of breeding avifauna of South Russia. Strepot 3, no. 1-2: 5-37 (in Russian).

Breeding short-term trend: Mosolova E.Yu., Tabachishin V.G. 2012. New data on distribution of the Grasshopper Warbler Locustella naevia in the south of the Saratov Zavolzhie. - Russian Ornithological Magazine, express-issue 21 (785): 1967-1969 (in Russian). Sokolov A.Yu. 2011. The grasshopper warbler Locustella naevia, European Serin Serinus serinus and Red-headed Bunting Granatavira bruniceps in the area of the river Bityug (Voronezh Oblast). - Ornitologia 36: 223-224 (in Russian). Sarychev V.S. (ed.) 2009. Vertebrates of Lipetsk Region. Voronezh: 494 p. (in Russian). Klimov S.M., Sarychev V.S., Melnikov M.V., Zemlyanukhin A.I. 2004. Fauna of the Upper Don Basin. Nonpasserines. Lipetsk, LGPU: 224 p. (in Russian). Borodin O.V., Smirnova S.L., unpublished. spinus73@mail.ru

Breeding long-term trend: Shepel A.I., unpublished. shai53@mail.ru Yakovleva M.V., unpublished. kivach-bird@rambler.ru Belik V.P. et al. 2003. Recent population trends of breeding birds in the Southern Russia. - Strepot 1: 10-30 (in Russian). Borodin O.V., Smirnova S.L., unpublished. spinus73@mail.ru

Serbia

Breeding population size: BPSSS (2014) Unpublished data

Breeding short-term trend: BPSSS (2014) Unpublished data

Breeding long-term trend: BPSSS (2014) Unpublished data

Slovakia

Breeding population size: Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002. Krištín, A.

Breeding short-term trend: SOS/BS 2013; www.vtaky.sk

Breeding long-term trend: SOS/BS 2013; www.vtaky.sk

Slovenia

Breeding population size: Denac, K., T. Mihelič, L. Božič, P. Kmecl, T. Jančar, J. Figelj & B. Rubinić (2011): Strokovni predlog za revizijo posebnih območij varstva (SPA) z uporabo najnovejših kriterijev za določitev mednarodno pomembnih območij za ptice (IBA). Končno poročilo (dopolnjena verzija). Naročnik: Ministrstvo za okolje in prostor. DOPPS – BirdLife, Ljubljana.

Breeding short-term trend: Kmecl, P. & Figelj, J. (2013): Monitoring splošno razširjenih vrst ptic za določitev slovenskega indeksa ptic kmetijske krajine - poročilo za leto 2013. – DOPPS, Ljubljana.

Breeding long-term trend: Kmecl, P. & Figelj, J. (2013): Monitoring splošno razširjenih vrst ptic za določitev slovenskega indeksa ptic kmetijske krajine - poročilo za leto 2013. – DOPPS, Ljubljana.

Locustella naevia (Common Grasshopper-warbler)

Spain

Breeding population size: Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitológia. Madrid, 733 pp. http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx

Breeding short-term trend: SEO/BirdLife (2012). Programa de seguimiento de Avifauna de SEO/BirdLife 2011. SEO/BirdLife. Madrid. 35 pp. Información obtenida a partir de la Base de Datos del Inventario de especies terrestres. Seguimiento de Aves SACRE. (Ministerio de Agricultura, Alimentación y Medio Ambiente). http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/tendencia_aves_comunes_espania.aspx Gráfica de la tendencia poblacional de la especie (1998-2011): http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/buscarla_pintoja_tcm7-219831.pdf

Breeding long-term trend: Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitológia. Madrid, 733 pp. http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx Purroy, F.J. (Coord.) (1997). Atlas de las aves de España (1975-1995). SEO/BirdLife. Lynx Edicions. Barcelona. 583 pp.

Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige - antal och förekomst. Sveriges Ornitolologiska Förening, Halmstad.

Breeding short-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

Breeding long-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

Switzerland

Breeding population size: Original estimate: Schmid, H., R. Luder, B. Naef-Daenzer, R. Graf & N. Zbinden (1998): Schweizer Brutvogelatlas. Verbreitung der Brutvögel in der Schweiz und im Fürstentum Liechtenstein 1993-1996/Atlas des oiseaux nicheurs de Suisse. Distribution des oiseaux nicheurs en Suisse et au Liechtenstein en 1993-1996. Schweizerische Vogelwarte/Station ornithologique suisse, Sempach. Swiss Ornithological Institute: Updated based on population trend.

Breeding short-term trend: Swiss Ornithological Institute: <http://www.vogelwarte.ch/monitoring-breeding-birds-in-wetlands.html>. 95% Confidence interval see point 3.3.

Breeding long-term trend: Swiss Ornithological Institute: <http://www.vogelwarte.ch/monitoring-breeding-birds-in-wetlands.html>. Minimum and maximum refer to 95% confidence interval.

Turkey

Breeding population size: Kerem Ali Boyla, Soner Bekir personal communication. Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12) www.kusbanks.org

Breeding short-term trend: Doğa Derneği, Eken G., Bozdoğan M., İsfendiyaroğlu S., Kılıç D.T., Lise Y. (2006) Key Biodiversity Areas of Turkey (Türkiye'nin Önemli Doğa Alanları) Doğa Derneği, Ankara, KILIÇ, T., EKEN, G. 2004, Türkiye'nin Önemli Kuş Alanları Güncellemesi, Doğa Derneği. Ankara.

Breeding long-term trend: Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12)

Ukraine

Breeding population size: 1. Hagemajer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 2. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 3. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemeyer/ BirdLife International/EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 4. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158.

Breeding short-term trend: 1. Бокотей А.А., Дзюбенко Н.В., Горбань І.М. та інші. Гніздова орнітофауна басейну Верхнього Дністра. – Львів: ЛНУ, 2010. – 400 с. 2. Dombrowski A., Piotrowska M., Gorban I., Nikiforov M. Status and threats to avifauna. (Eds. Dombrowski A., & Z. Glowacki, та інші). Bug river valleyas the ecological corridor: state-threats-protection. IUCN European Programme. Warsaw. 2002. S. 87-102. 3. Горбань І.М. Рідкісні види птахів Шацького національного парку. // Вісник Львівського університету. Серія біологічна. Вип. 29. 2002. С.188-199.

Breeding long-term trend: 1. Tucker G.M., Heath M.F. Birds in Europe: their conservation status. - Cambridge. U.K. Bird Life Conservation Series №. 3. 1994. 600 p. 2. Hagemajer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 3. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 4. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemeyer/ BirdLife International/EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 5. Горбань І.М., Бокотей А.А. Вплив трансформаційних процесів на фауну та населення птахів басейну Верхнього Дністра. Дослідження басейнової екосистеми Верхнього Дністра. Збірник наукових праць. 2000. С.145 – 155. 6. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158. 7. Birds in Europe: Population Estimates, Trends and Conservation Status. BirdLife Conservation Series 12; 2004. 374 р. 8. Бокотей А.А., Дзюбenko Н.В., Горбань І.М. та інші. Гніздова орнітофауна басейну Верхнього Дністра. – Львів: ЛНУ, 2010. – 400 с.

United Kingdom

Breeding population size: Gibbons, D.W., Reid, J.B. & Chapman, R.A. 1993. The New Atlas of Breeding Birds in Britain and Ireland: 1988–1991. Poyser, London. Musgrove, A.J., Aebsicher, N.J., Eaton, M.A., Hearn, R.D., Newson, S.E., Noble, D.G., Parsons, M., Risely, K. & Stroud, D.A. 2013. Population estimates of birds in Great Britain and the United Kingdom. British Birds 106: 64-100.

Breeding short-term trend: BTO/JNCC/RSPB Breeding Bird Survey data: Risely, K., Massimino, D., Johnston, A., Newson, S.E., Eaton, M.A., Musgrove, A.J., Noble, D.G., Procter, D. & Baillie, S.R. 2012. The Breeding Bird Survey 2011. BTO Research Report 624. British Trust for Ornithology, Thetford. <http://www.bto.org/sites/default/files/u16/downloads/reports/bbsreport11.pdf>

Breeding long-term trend: Sharrock, J.T.R. 1976. The Atlas of Breeding Birds in Britain and Ireland. Poyser, London. Musgrove, A.J., Aebsicher, N.J., Eaton, M.A., Hearn, R.D., Newson, S.E., Noble, D.G., Parsons, M., Risely, K. & Stroud, D.A. 2013. Population estimates of birds in Great Britain and the United Kingdom. British Birds 106: 64-100.

Bibliography

- Hagemeijer, W.J.M. and Blair, M.J. 1997. *The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance*. T & A D Poyser, London.
- Huntley, B., Collingham, Y.C., Willis, S.G. and Green, R.E. 2008. Potential impacts of climatic change on European breeding birds. *PLoS one*, 3(1), e1439.
- Pearson, D. 2006. Western Grasshopper-warbler (*Locustella naevia*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds.) 2014. *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (retrieved from <http://www.hbw.com/node/58785> on 25 March 2015).