



THE IUCN RED LIST  
OF THREATENED SPECIES™



## ***Acrocephalus schoenobaenus (Sedge Warbler)***

### **European Red List of Birds**

### **Supplementary Material**

The European Union (EU27) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2013-14.

For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2015).

#### **Contents**

Reported national population sizes and trends	p. 2
Trend maps of reported national population data	p. 4
Sources of reported national population data	p. 6
Species factsheet bibliography	p. 10

#### **Recommended citation**

BirdLife International (2015) European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.

#### **Further information**

- <http://www.birdlife.org/datazone/info/euroredlist>
- <http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
- <http://www.iucnredlist.org/initiatives/europe>
- <http://ec.europa.eu/environment/nature/conservation/species/redlist/>

#### **Data requests and feedback**

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email [science@birdlife.org](mailto:science@birdlife.org).

*Acrocephalus schoenobaenus* (Sedge Warbler)

**Table 1.** Reported national breeding population size and trends in Europe<sup>1</sup>.

Country (or territory) <sup>2</sup>	Population estimate				Short-term population trend <sup>4</sup>				Long-term population trend <sup>4</sup>				Subspecific population (where relevant)
	Size (pairs) <sup>3</sup>	Europe (%)	Year(s)	Quality	Direction <sup>5</sup>	Magnitude (%) <sup>6</sup>	Year(s)	Quality	Direction <sup>5</sup>	Magnitude (%) <sup>6</sup>	Year(s)	Quality	
Albania	0	<1	2002-2012		?				-	80-100	1980-2012	poor	
Armenia	6,000-12,000	<1	2002-2012	medium	?				?				
Austria	5,500-8,500	<1	2001-2012	medium	0	0	2001-2012	medium	?				
Azerbaijan	5,000-50,000	<1	1996-2000	poor	?				?				
Belarus	600,000-900,000	15	2001-2012	medium	0	0	2001-2012	medium	0	0	1980-2012	medium	
Belgium	2,000-4,000	<1	2008-2012	medium	0	0	2000-2012	medium	+	72-245	1973-2012	medium	
Bosnia & HG	1,000-2,000	<1	2010-2014	poor	?				?				
Bulgaria	400-1,700	<1	2005-2012	medium	0	0-5	2001-2012	medium	0	0-5	1980-2012	medium	
Croatia	10,000-50,000	<1	2014	poor	?				?				
Czech Rep.	87,600-175,200	3	2012	medium	+	62-256	2000-2012	good	+	20-204	1982-2012	good	
Denmark	2,000	<1	2011	medium	-	33-50	1999-2011	good	-	50-100	1980-2011	good	
Estonia	150,000-250,000	4	2001-2012	medium	-	20-50	2001-2012	medium	-	20-50	1980-2012	medium	
Finland	75,000-145,000	2	2006-2012	good	-	38-58	2001-2012	good	-	17-40	1983-2012	good	
France	5,000-8,000	<1	2008-2012	medium	0	0	2001-2011	poor	-	20-50	1975-2003	medium	
Georgia	Present	<1			?				?				
Germany	17,000-27,000	<1	2005-2009	good	+	27-80	1998-2009	good	+	95-165	1990-2009	good	
Greece	500-1,000	<1	2008-2012	poor	?				?				
Hungary	224,000-356,000	6	2000-2012	medium	-	36	1999-2012	medium	?				
Rep. Ireland	74,630-305,340	2	2006-2011	good	+	2-46	1998-2011	good	?				
Italy	3-5	<1	2005-2008	medium	-	80-90	2000-2008	medium	-	90-95	1980-2008	medium	
Kosovo	50-100	<1	2009-2014	medium	?				?				
Latvia	13,360-48,158	1	2012	good	0	0-10	2001-2012	medium	-	1-45	1995-2012	medium	
Lithuania	300,000-400,000	7	2008-2012	medium	0	0	2001-2012	medium	0	0	1980-2012	medium	
Luxembourg	1-5	<1	2008-2012	good	+	0-100	2000-2012	good	0	0-50	1980-2012	medium	
FYRO Macedonia	250-1,000	<1	2001-2012	poor	?				?				
Moldova	500-700	<1	2000-2010	medium	F	0	2000-2010	medium	F	0	1980-2010	medium	
Montenegro	300-1,000	<1	2002-2012	poor	?				?				
Netherlands	27,645-34,556	1	2008-2011	medium	+	43-69	2002-2011	good	+	179-241	1980-2011	good	
Norway	5,000-15,000	<1	2000-2013	poor	?				?				
Poland	249,000-341,000	6	2008-2012	good	+	20-70	2000-2012	good	?				
Romania	87,234-115,064	2	2008-2013	medium	?				?				
Russia	1,300,000-2,400,000	36	2000-2008	medium	0	0	2000-2012	poor	+	5-30	1980-2012	poor	

*Acrocephalus schoenobaenus* (Sedge Warbler)

**Table 1.** Reported national breeding population size and trends in Europe<sup>1</sup>.

Country (or territory) <sup>2</sup>	Population estimate				Short-term population trend <sup>4</sup>				Long-term population trend <sup>4</sup>				Subspecific population (where relevant)
	Size (pairs) <sup>3</sup>	Europe (%)	Year(s)	Quality	Direction <sup>5</sup>	Magnitude (%) <sup>6</sup>	Year(s)	Quality	Direction <sup>5</sup>	Magnitude (%) <sup>6</sup>	Year(s)	Quality	
Serbia	14,500-20,200	<1	2008-2012	medium	0	0	2000-2012	medium	+	1-9	1980-2012	medium	
Slovakia	10,000-30,000	<1	2002-2012	medium	0	0	2000-2012	poor	0	0	1980-2012	medium	
Slovenia	700-1,200	<1	2002-2012	medium	+	0-20	2001-2012	medium	?				
Sweden	58,000-136,000	2	2008-2012	medium	0	0	2001-2012	good	0	0	1980-2012	good	
Turkey	5,000-10,000	<1	2013	poor	-	0-19	2000-2012	poor	-	20-29	1990-2013	poor	
Ukraine	200,000-300,000	5	2000	medium	F	10-15	1998-2010	medium	F	15-20	1980-2010	medium	
United Kingdom	290,000	6	2009	medium	+	6	1998-2010	good	+	12	1980-2010	good	
EU27	1,680,000-2,680,000	43			Stable								
Europe	3,830,000-6,440,000	100			Stable								

<sup>1</sup> See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

<sup>2</sup> The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

<sup>3</sup> In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

<sup>4</sup> The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

<sup>5</sup> Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

<sup>6</sup> Trend magnitudes are rounded to the nearest integer.

## Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

### KEY

- |                                  |                                  |
|----------------------------------|----------------------------------|
| ▲ Large increase ( $\geq 50\%$ ) | ▼ Large decrease ( $\geq 50\%$ ) |
| ▲ Moderate increase (20–49%)     | ▼ Moderate decrease (20–49%)     |
| ▲ Small increase (<20%)          | ▼ Small decrease (<20%)          |
| ↑ Increase of unknown magnitude  | ↓ Decrease of unknown magnitude  |


- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- ✗ Extinct since 1980

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.


- ↑ Large:  $\geq 10\%$  of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

**Figure 1.** Breeding population sizes and short-term trends across Europe.



**Figure 2.** Breeding population sizes and long-term trends across Europe.



## *Acrocephalus schoenobaenus* (Sedge Warbler)

# Sources

### Albania

Breeding population size: Bino pers. obs.

Breeding long-term trend: Hallman pers. obs. Bino pers. obs.

### Armenia

Breeding population size: ASPB data

### Austria

Breeding population size: BirdLife Austria, estimate on the basis of available unpublished and published population data

Breeding short-term trend: BirdLife Austria, estimate on the basis of available unpublished and published trend data

### Azerbaijan

Breeding population size: BirdLife International 2004

### Belarus

Breeding population size: Zhuravliev D.V. - personal communication

Breeding short-term trend: BirdLife International (2004) Birds in Europe: population estimates, trends and conservation status. Cambridge, UK: BirdLife International. (BirdLife Conservation Series, No 12).

Breeding long-term trend: Nikiforov M.E., Kozulin A.V., eds. Belarussian birds at the beginning of XXI century: status, numbers, distribution. - 1997. - Minsk. - 187 p.

### Belgium

Breeding population size: Data Breeding Bird atlas Wallonia (Jacob et al 2010), Brussels (Weiserbs 2012) and Flanders (Vermeersch et al 2004) in combination with trend data.

Breeding short-term trend: Common bird monitoring schemes

Breeding long-term trend: Comparison between 2008-2012 estimate and Devillers, 1989 (Atlas of the Belgian Breeding Bird) population estimate

### Bosnia and Herzegovina

Breeding population size: unpublisht data

### Bulgaria

Breeding population size: Zenhtindjiev, P., Vasilev, V., Ilieva, M., Delov, V. 2007. *Acrocephalus schoenabeanus*. In: Iankov, P. (Ed.) Atlas of breeding birds in Bulgaria. Bulgarian Society for the Protection of Birds Conservation series, Book 10, BSPB, Sofia. Nankinov,D. et al. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 2004.

Breeding short-term trend: Zenhtindjiev, P., Vasilev, V., Ilieva, M., Delov, V. 2007. *Acrocephalus schoenabeanus*. In: Iankov, P. (Ed.) Atlas of breeding birds in Bulgaria. Bulgarian Society for the Protection of Birds Conservation series, Book 10, BSPB, Sofia. Nankinov,D. et al. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 2004.

Breeding long-term trend: Zenhtindjiev, P., Vasilev, V., Ilieva, M., Delov, V. 2007. *Acrocephalus schoenabeanus*. In: Iankov, P. (Ed.) Atlas of breeding birds in Bulgaria. Bulgarian Society for the Protection of Birds Conservation series, Book 10, BSPB, Sofia. Nankinov,D. et al. Breeding totals of the ornithofauna in Bulgaria. Green Balkans, Plovdiv, 2004.

### Croatia

Breeding population size: BiE III Work group, Croatia

Breeding short-term trend: BiE III Work group, Croatia

Breeding long-term trend: BiE III Work group, Croatia

### Czech Republic

Breeding population size: STASTNY K., BEJCEK V. & HUDEC K. 2006: Atlas hnizdniho rozsireni ptaku v Ceske republike. Aventinum Praha. JPSP:<http://jpsc.birds.cz/vysledky.php?taxon=760>

Breeding short-term trend: JPSP:<http://jpsc.birds.cz/vysledky.php?taxon=760>

Breeding long-term trend: JPSP:<http://jpsc.birds.cz/vysledky.php?taxon=760>

### Denmark

Breeding population size: BIRDLIFE INTERNATIONAL (2004) Birds in Europe: population estimates, trends and conservation status. Wageningen, The Netherlands: BirdLife International. (BirdLife Conservation Series No. 12) Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindlige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding short-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindlige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding long-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindlige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1980-2011)

## *Acrocephalus schoenobaenus* (Sedge Warbler)

### Estonia

**Breeding population size:** Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. *Hirundo* 26(2): 80–112. URL: [http://www.eoy.ee/hirundo/file\\_download/149/Elts\\_et\\_al\\_2013\\_2.pdf](http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf)

**Breeding short-term trend:** Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. *Hirundo* 26(2): 80–112. URL: [http://www.eoy.ee/hirundo/file\\_download/149/Elts\\_et\\_al\\_2013\\_2.pdf](http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf)

**Breeding long-term trend:** Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. *Hirundo* 26(2): 80–112. URL: [http://www.eoy.ee/hirundo/file\\_download/149/Elts\\_et\\_al\\_2013\\_2.pdf](http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf)

### Finland

**Breeding population size:** Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.

**Breeding short-term trend:** Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.

**Breeding long-term trend:** Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.

### France

**Breeding population size:** <http://www.atlas-ornitho.fr/>

**Breeding short-term trend:** SIBLET J-Ph. 1999 *Phragmite des joncs*, SEO - LPO, 362–363

**Breeding long-term trend:** SIBLET J-Ph. 1999 *Phragmite des joncs*, SEO - LPO, 362–363

### Georgia

**Breeding population size:** BirdLife International 2004

### Germany

**Breeding population size:** Gedeon, K., C. Grüneberg, A. Mitschke & C. Sudfeldt (in Vorb.): *Atlas Deutscher Brutvogelarten*. SVD & DDA, Münster.

**Breeding short-term trend:** Monitoring häufiger Brutvögel

**Breeding long-term trend:** Monitoring häufiger Brutvögel

### Greece

**Breeding population size:** BirdLife International 2004. *Birds in Europe - Population estimates, trends and conservation status*. Cambridge, UK, BirdLife International (BirdLife Conservation Series No 12).

**Breeding short-term trend:** Hellenic Common Birds Monitoring Scheme database, Hellenic Ornithological Society

### Hungary

**Breeding population size:** National common bird monitoring scheme (MMM) database. Szép, T., Nagy, K., Nagy, Zs. & Halmos, G. (2012): Population trends of common breeding and wintering birds in Hungary, decline of long-distance migrant and farmland birds during 1999–2012. *Ornis Hungarica* 2012. 20(2): 13–63.

**Breeding short-term trend:** National common bird monitoring scheme (MMM) database. Szép, T., Nagy, K., Nagy, Zs. & Halmos, G. (2012): Population trends of common breeding and wintering birds in Hungary, decline of long-distance migrant and farmland birds during 1999–2012. *Ornis Hungarica* 2012. 20(2): 13–63.

### Republic of Ireland

**Breeding population size:** Crowe, O., Musgrove, A.J. & O'Halloran, J. (2014). Generating population estimates for common and widespread breeding birds in Ireland. *Bird Study* 61 (1) 82–90.

**Breeding short-term trend:** Crowe, O. (2013). Calculation of short-term trends for Common and Widespread Breeding Birds for Article 12 Reporting. Unpublished.

**Breeding long-term trend:** Baillie, S.R., Marchant, J.H., Leech, D.I., Massimino, D., Eglington, S.M., Johnston, A., Noble, D.G., Barimore, C., Kew, A.J., Downie, I.S., Risely, K. & Robinson, R.A. (2013) *BirdTrends 2012: trends in numbers, breeding success and survival for UK breeding birds*. BTO Research Report No. 644. BTO, Thetford; <http://www.bto.org/birdtrends>. Balmer, D., Gillings, S., Caffrey, B., Swan, B., Downie, I. & Fuller, R. (2013) *Bird Atlas 2007–11 The breeding and wintering birds of Britain and Ireland*. British Trust for Ornithology Crowe O (2013) Calculation of short-term trends for Common and Widespread Breeding Birds for Article 12 Reporting. Unpublished report. Expert opinion - O. Crowe, BirdWatch Ireland, <http://birdwatchireland.ie/>. Sharrock, J.T.R. (1976) *The Atlas of Breeding Birds in Britain and Ireland*. T. & AD Poyser

### Italy

**Breeding population size:** Brichetti P & Fracasso G. 2010. *Ornitologia italiana*. Vol.6 (Sylviidae-Paradoxornithidae). Alberto Perdisa Editore, Bologna

**Breeding short-term trend:** Brichetti P & Fracasso G. 2010. *Ornitologia italiana*. Vol.6 (Sylviidae-Paradoxornithidae). Alberto Perdisa Editore, Bologna

**Breeding long-term trend:** Brichetti P & Fracasso G. 2010. *Ornitologia italiana*. Vol.6 (Sylviidae-Paradoxornithidae). Alberto Perdisa Editore, Bologna Tucker GM & Heath MF. 1994. *Birds in Europe. Their conservation status*. Cambridge, UK: BirdLife International. BirdLife Conservation Series No. 3 BirdLife International 2004. *Birds in Europe: population estimates, trends and conservation status*. Cambridge, UK: BirdLife International. BirdLife Conservation Series No. 12

### Kosovo

**Breeding population size:** NGO "Finch" (2014)

### Latvia

**Breeding population size:** Calculation based on data collected in Latvian Breeding bird monitoring scheme: Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.]. Latvian Ornithological society, 47

**Breeding short-term trend:** Calculation based on data collected in Latvian Breeding bird monitoring scheme: Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.]. Latvian Ornithological society, 47

**Breeding long-term trend:** Aunins A. 2006. [Ensuring continuity and compatibility of bird monitoring data regarding changes in the Biodiversity monitoring section of the National Monitoring programme]. Aunins A. 2012. [Changes in the Abundance of Common Birds in Latvia during the Previous Seven Years]. *Putni Dabā* 2013/1, 10 - 13. Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.]. Latvian Ornithological society, 47 pp.

## *Acrocephalus schoenobaenus* (Sedge Warbler)

### Lithuania

**Breeding population size:** Jusys, V., Karalius, S., Raudonikis, L. 2012. Lietuvos paukščių pažinimo vadovas. Kaunas: „Lututė“, 288 p. Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt)

**Breeding short-term trend:** BirdLife International/European Bird Census Council 2004. Birds in Europe: population estimates, trends and conservation status. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 12). Jusys, V., Karalius, S., Raudonikis, L. 2012. Lietuvos paukščių pažinimo vadovas. Kaunas: „Lututė“, 288 p. Kurlavičius, P. (ed.) 2006. Lietuvos perinčių paukščių atlasas. Kaunas: „Lututė“, 256 p. Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt)

**Breeding long-term trend:** BirdLife International/European Bird Census Council. 2000. European bird populations: estimates and trends. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 10). Jusys, V., Karalius, S., Raudonikis, L. 2012. Lietuvos paukščių pažinimo vadovas. Kaunas: „Lututė“, 288 p. Kurlavičius, P. (ed.) 2006. Lietuvos perinčių paukščių atlasas. Kaunas: „Lututė“, 256 p. Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt)

### Luxembourg

**Breeding population size:** LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): Die Vögel Luxemburgs. Saint-Paul Publishing, Luxembourg. ISBN: 978-2-919920-01-3

**Breeding short-term trend:** LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Lorgé P., E. Melchior (2010): Die Vögel Luxemburgs. Saint-Paul Publishing, Luxembourg. ISBN: 978-2-919920-01-3

**Breeding long-term trend:** LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Lorgé P., E. Melchior (2010): Die Vögel Luxemburgs. Saint-Paul Publishing, Luxembourg. ISBN: 978-2-919920-01-3 Melchior E., E. Mentgen, R. Peltzer, R. Schmitt, J. Weiss (1987): Atlas der Brutvögel Luxemburgs. Lëtzebuerger Natur- a Völleschutzliga. Kremer-Muller & Cie, Foetz, Luxembourg

### The Former Yugoslav Republic of Macedonia

**Breeding population size:** Velevski, M., B. Hallmann, B. Grubač, T. Lisičanec, E. Stoynov, E. Lisičanec, V. Avukatov, L. Božić, and B. Stumberger. 2010. Important Bird Areas in Macedonia: Sites of Global and European Importance. *Acrocephalus* 31:181–282.

### Moldova

**Breeding population size:** The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

**Breeding short-term trend:** The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

**Breeding long-term trend:** 1. Аверин Ю. В., Ганя И.М., Успенский Г. Птицы Молдавии, том 2, Кишинев, 1971, 2р 2. Burfield I., Bommel van F., Birds in Europe. Population estimates, trends and conservation status. BirdLife International. Oxford, 2004. 374р. 3. The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

### Montenegro

**Breeding population size:** Puzovic, S., Simic, D., Saveljić, D., Gergelj, J., Tucakov, M., Stojnic, N., Hulo, I., Ham, I., Vizi, O., Sciban, M., Ruzic, M., Vukanovic, M., Jovanovic, T. (2004): Birds of Serbia and Montenegro – Size of nesting populations. I trends: 1990-2002. Ciconia 12,

### Netherlands

**Breeding population size:** NEM, Sovon en CBS, SOVON (2002)

**Breeding short-term trend:** NEM, Sovon en CBS, Boele et al. (2013)

**Breeding long-term trend:** Sovon

### Norway

**Breeding population size:** Shimmings P. & Øien, I.J. 2015. Bestandsestimer og trender for norske hekkefugler. NOF-rapport 2015-2.

### Poland

**Breeding population size:** Chodkiewicz T., Kuczyński L., Sikora A., Ławicki Ł., Chylarecki P., Neubauer G., Meissner W., Rohde Z. 2013. Opracowanie raportu dla Komisji Europejskiej z wdrażania Dyrektywy Ptasiej w Polsce w zakresie Monitoringu Ptaków Polski w Państwowym Monitoringu Środowiska. Sprawozdanie dla Głównego Inspektoratu Ochrony Środowiska. OTOP, Marki.

**Breeding short-term trend:** MPPL: Chylarecki P. 2013. Czynniki kształtujące zmiany liczebności pospolitych ptaków Polski w latach 2000-2012. MilZ PAN Warszawa. Bogucki. Wyd. Nauk. 1-126; Chodkiewicz T., Woźniak B., Chylarecki P. 2012. Monitoring Pospolitych Gatunków Ptaków. In: Podsumowanie sezonu lęgowego Monitoringu Ptaków Polski w 2012 r. OTOP, MilZ, KOO, SOS: 29-45 (source: [http://monitoringptakow.gios.gov.pl/raporty?file=files/pliki/raporty\\_faza4/RaportMPP4\\_etap1\\_zad2%264\\_wiosna2012.pdf](http://monitoringptakow.gios.gov.pl/raporty?file=files/pliki/raporty_faza4/RaportMPP4_etap1_zad2%264_wiosna2012.pdf))

### Romania

**Breeding population size:** SOR database

**Breeding short-term trend:** BirLife International (2004) Birds in Europe: population estimates, trends and conservation status. Cambridge, UK Papp T., Fântână C. – editori 2008, ARIILE DE IMPORTANȚĂ AVIFAUNISTICĂ DIN ROMÂNIA, Publicație Comună a Societății Ornitologice Române și a Asociației „Grupul Milvus”

**Breeding long-term trend:** Munteanu D. (ed) 2002: Atlasul păsărilor clocitoare din România, ediția a II-a, Publicațiile Societății Ornitologice Române, nr. 16, Cluj-Napoca. Weber P. et all. 1994: Atlasul provizoriu ai păsărilor clocitoare din România, Publicațiile Societății Ornitologice Române, nr.2, Mediaș Papp T., Fântână C. – editori 2008, ARIILE DE IMPORTANȚĂ AVIFAUNISTICĂ DIN ROMÂNIA, Publicație Comună a Societății Ornitologice Române și a Asociației „Grupul Milvus”

### Russia

**Breeding population size:** Ravkin E.S., Ravkin Yu.S. 2005. Birds of Northern Eurasian plains: numbers, distribution, spatial organization of communities. Novosibirsk, Nauka: 304 p. (in Russian). Numerov A.D. 1996. Class Birds Aves. – Natural resources of Voronezh Region. Vertebrate Animals. Cadaster. Voronezh, Biomik: 48-159 (in Russian). Sarychev V.S. (ed.) 2009. Vertebrates of Lipetsk Region. Voronezh: 494 p. Sarychev V.S., unpublished. vssar@yandex.ru Belik V.P. 2005. Cadastre of breeding avifauna of South Russia. Strepet 3, no. 1-2: 5-37 (in Russian).

**Breeding short-term trend:** Preobrazhenskaya E.S., unpublished. voop21@rambler.ru Shepel A.I., unpublished. shai53@mail.ru Mischenko A.L., unpublished Sarychev V.S. (ed.) 2009. Vertebrates of Lipetsk Region. Voronezh: 494 p. Sarychev V.S., unpublished. vssar@yandex.ru

**Breeding long-term trend:** Preobrazhenskaya E.S., unpublished. voop21@rambler.ru Yakovleva M.V., unpublished. kivach-bird@rambler.ru

## *Acrocephalus schoenobaenus* (Sedge Warbler)

### Serbia

Breeding population size: BPSSS (2014) Unpublished data

Breeding short-term trend: BPSSS (2014) Unpublished data

Breeding long-term trend: BPSSS (2014) Unpublished data

### Slovakia

Breeding population size: Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Breeding short-term trend: Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Breeding long-term trend: Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

### Slovenia

Breeding population size: Mihelič, T. (2013): Novi ornitološki atlas gnezdišč Slovenije 2002-2010. Internetna baza podatkov. Spletna stran: <http://www.ptice.si/atlas>. Društvo za opazovanje in proučevanje ptic Slovenije, DOPPS - BirdLife Slovenija. Ljubljana.

Breeding short-term trend: Kmecl, P. & Figelj, J. (2013): Monitoring splošno razširjenih vrst ptic za določitev slovenskega indeksa ptic kmetijske krajine - poročilo za leto 2013. – DOPPS, Ljubljana. [http://www.natura2000.gov.si/uploads/tx\\_library/SIPKK\\_2013\\_1.pdf](http://www.natura2000.gov.si/uploads/tx_library/SIPKK_2013_1.pdf)

Breeding long-term trend: Mihelič, T. (2013): Novi ornitološki atlas gnezdišč Slovenije 2002-2010. Internetna baza podatkov. Spletna stran: <http://www.ptice.si/atlas>. Društvo za opazovanje in proučevanje ptic Slovenije, DOPPS - BirdLife Slovenija. Ljubljana. Geister, I. (1995): Ornitoloski atlas Slovenije. DZS, Ljubljana.

### Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige - antal och förekomst. Sveriges Ornitolologiska Förening, Halmstad.

Breeding short-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

Breeding long-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

### Turkey

Breeding population size: Eken G., Bozdoğan M., İsfendiyaroğlu S., Kılıç D.T., Lise Y. (2006) Türkiye'nin Önemli Doğa Alanları. Doğa Derneği, Ankara. Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12) [www.kusbanks.org](http://www.kusbanks.org) Kirwan G.M., Boyla K. A., Castell P., Demirci B., Özén M., Welch H., Marlow T., 2008, Birds of Turkey. Londra, Christopher Helm, 978-1-4081-0475-

Breeding short-term trend: Doğa Derneği, Eken G., Bozdoğan M., İsfendiyaroğlu S., Kılıç D.T., Lise Y. (2006) Key Biodiversity Areas of Turkey (Türkiye'nin Önemli Doğa Alanları) Doğa Derneği, Ankara, KILIÇ, T., EKEN, G. 2004, Türkiye'nin Önemli Kuş Alanları Güncellemesi, Doğa Derneği. Ankara.

Breeding long-term trend: Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12)

### Ukraine

Breeding population size: 1. Hagemajer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 2. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 3. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemajer/ BirdLife International/EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 4. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158.

Breeding short-term trend: 1. Бокотей А.А., Дзюбенко Н.В., Горбань І.М. та інші. Гніздова орнітофауна басейну Верхнього Дністра. – Львів: ЛНУ, 2010. – 400 с. 2. Dombrowski A., Piotrowska M., Gorban I., Nikiforov M. Status and threats to avifauna. (Eds. Dombrowski A., & Z. Glowacki, та інші). Bug river valleyas the ecological corridor: state-threats-protection. IUCN European Programme. Warsaw. 2002. S. 87-102. 3. Горбань І.М. Рідкісні види птахів Шацького національного парку. // Вісник Львівського університету. Серія біологічна. Вип. 29. 2002. С.188-199.

Breeding long-term trend: 1. Tucker G.M., Heath M.F. Birds in Europe: their conservation status. - Cambridge. U.K. Bird Life Conservation Series №. 3. 1994. 600 p. 2. Hagemajer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 3. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 4. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemajer/ BirdLife International/EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 5. Горбань І.М., Бокотей А.А. Вплив трансформаційних процесів на фауну та населення птахів басейну Верхнього Дністра. Дослідження басейнової екосистеми Верхнього Дністра. Збірник наукових праць. 2000. С.145 – 155. 6. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158. 7. Birds in Europe: Population Estimates, Trends and Conservation Status. BirdLife Conservation Series 12; 2004. 374 р. 8. Бокотей А.А., Дзюбenko Н.В., Горбань І.М. та інші. Гніздова орнітофауна басейну Верхнього Дністра. – Львів: ЛНУ, 2010. – 400 с.

### United Kingdom

Breeding population size: Gibbons, D.W., Reid, J.B. & Chapman, R.A. 1993. The New Atlas of Breeding Birds in Britain and Ireland: 1988–1991. Poyser, London. Musgrove, A.J., Aebsicher, N.J., Eaton, M.A., Hearn, R.D., Newson, S.E., Noble, D.G., Parsons, M., Risely, K. & Stroud, D.A. 2013. Population estimates of birds in Great Britain and the United Kingdom. British Birds 106: 64-100.

Breeding short-term trend: BTO/JNCC/RSPB Breeding Bird Survey data: Risely, K., Massimino, D., Johnston, A., Newson, S.E., Eaton, M.A., Musgrove, A.J., Noble, D.G., Procter, D. & Baillie, S.R. 2012. The Breeding Bird Survey 2011. BTO Research Report 624. British Trust for Ornithology, Thetford. <http://www.bto.org/sites/default/files/u16/downloads/reports/bbsreport11.pdf>

Breeding long-term trend: Baillie, S.R., Marchant, J.H., Leech, D.I., Massimino, D., Eglington, S.M., Johnston, A., Noble, D.G., Barimore, C., Kew, A.J., Downie, I.S., Risely, K. & Robinson, R.A. (2013). BirdTrends 2012: trends in numbers, breeding success and survival for UK breeding birds. Research Report 644. BTO, Thetford. <http://www.bto.org/birdtrends>

## Bibliography

Dyrcz, A. 2006. Sedge Warbler (*Acrocephalus schoenobaenus*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds.) 2014. *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (retrieved from <http://www.hbw.com/node/58794> on 25 March 2015).

Hagemeijer, W.J.M. and Blair, M.J. (1997) *The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance*. T & A D Poyser, London.