



THE IUCN RED LIST
OF THREATENED SPECIES™



Phylloscopus trochilus (Willow Warbler)

European Red List of Birds

Supplementary Material

The European Union (EU27) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2013-14.

For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2015).

Contents

Reported national population sizes and trends	p. 2
Trend maps of reported national population data	p. 4
Sources of reported national population data	p. 6
Species factsheet bibliography	p. 10

Recommended citation

BirdLife International (2015) European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.

Further information

- <http://www.birdlife.org/datazone/info/euroredlist>
- <http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>
- <http://www.iucnredlist.org/initiatives/europe>
- <http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Phylloscopus trochilus (Willow Warbler)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
Albania	0-50	<1	2002-2012	poor	0	0	2002-2012	poor	0	0	1980-2012	poor	
Austria	30,000-50,000	<1	2001-2012	medium	?				?				
Belarus	950,000-1,100,000	1	2001-2012	medium	0	0	2001-2012	medium	0	0	1980-2012	medium	
Belgium	50,000-100,000	<1	2008-2012	poor	0	0	2000-2012	medium	-	23-62	1973-2012	medium	
Bulgaria	10-150	<1	2005-2012	poor	?				?				
Croatia	25-150	<1	2010	poor	?				?				
Czech Rep.	450,000-900,000	1	2012	medium	0	0	2000-2012	good	-	57-83	1982-2012	good	
Denmark	260,000	<1	2011	medium	-	33-50	1999-2011	good	-	50-100	1980-2011	good	
Estonia	900,000-1,300,000	1	2008-2012	medium	-	20-50	2001-2012	medium	0	0-10	1980-2012	medium	
Finland	6,300,000-9,200,000	10	2006-2012	good	-	24-33	2001-2012	good	-	24-33	1983-2012	good	
France	70,000-130,000	<1	2008-2012	medium	0	0	2001-2011	medium	-	47	1989-2011	medium	
Georgia	Present	<1			?				?				
Germany	900,000-1,600,000	2	2005-2009	medium	-	28-35	1998-2009	good	-	38-48	1990-2009	good	
Hungary	15,000-20,000	<1	2005-2007	poor	0	0	1999-2012	medium	?				
Rep. Ireland	1,064,110-3,459,340	2	2006-2011	good	+	70-103	1998-2011	good	?				
Latvia	528,961-885,208	1	2012	good	-	17-53	2005-2012	good	+	0-80	1994-2012	medium	
Liechtenstein	30-60	<1	2009-2014	medium	0	0	2003-2014	medium	0	0	1980-2014	medium	
Lithuania	100,000-250,000	<1	2008-2012	medium	0	0	2001-2012	medium	0	0	1980-2012	medium	
Luxembourg	8,000-10,000	<1	2008-2012	medium	?				?				
Moldova	1-10	<1	2000-2010	medium	-	30-50	2000-2010	medium	-	20-40	1980-2010	medium	
Netherlands	459,122-561,149	1	2008-2011	medium	+	20-42	2002-2011	medium	-	14-38	1984-2011	medium	
Norway	6,000,000-9,500,000	10	2013	poor	-	5-10	2002-2012	medium	-	5-10	1980-2013	good	
Poland	3,000,000-3,500,000	4	2008-2012	good	+	45-60	2000-2012	good	?				
Romania	5,000-50,000	<1	2001-2013	poor	?				?				
Russia	30,000,000-42,000,000	46	2000-2008	medium	0	0	2000-2012	poor	F	0	1980-2012	poor	
Slovakia	400,000-600,000	1	2002	poor	0	0	2000-2012	poor	0	0	1980-2012	poor	
Slovenia	300-400	<1	2002-2012	medium	?				?				
Spain	60	<1	1998-2002	good	?				?				
Sweden	7,930,000-18,460,000	17	2008-2012	medium	-	7-14	2001-2012	good	-	28-36	1980-2012	good	
Switzerland	2,000-6,000	<1	2008-2012	medium	-	30-100	2001-2012	good	-	30-55	1990-2012	good	
Ukraine	420,000-760,000	1	2000	medium	F	5-10	1998-2010	medium	0	0	1980-2010	medium	
United Kingdom	2,400,000	3	2009	medium	0	3.3-3	1998-2010	good	-	29	1980-2010	good	

Phylloscopus trochilus (Willow Warbler)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
EU27	24,900,000-43,700,000	42			Decreasing								
Europe	62,200,000-97,100,000	100			Decreasing								

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁵ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁶ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|----------------------------------|----------------------------------|
| ▲ Large increase ($\geq 50\%$) | ▼ Large decrease ($\geq 50\%$) |
| ▲ Moderate increase (20–49%) | ▼ Moderate decrease (20–49%) |
| ▲ Small increase (<20%) | ▼ Small decrease (<20%) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |

- Stable or fluctuating
- Unknown
- Present (no population or trend data)
- ✗ Extinct since 1980

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: <1% of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.





Figure 2. Breeding population sizes and long-term trends across Europe.



Phylloscopus trochilus (Willow Warbler)

Sources

Albania

Breeding population size: Bino pers. obs.

Breeding short-term trend: Bino pers. obs.

Breeding long-term trend: Bino pers. obs.

Austria

Breeding population size: BirdLife Austria, extrapolation on the basis of available unpublished and published population and density data

Breeding short-term trend: N. Teufelbauer based on data from the Austrian Common Breeding Bird Monitoring

Belarus

Breeding population size: Koloskov M.N. - personal communication

Breeding short-term trend: BirdLife International (2004) Birds in Europe: population estimates, trends and conservation status. Cambridge, UK: BirdLife International. (BirdLife Conservation Series, No 12).

Breeding long-term trend: Nikiforov M.E., Kozulin A.V., eds. Belarussian birds at the beginning of XXI century: status, numbers, distribution. - 1997. - Minsk. - 187 p.

Belgium

Breeding population size: Data Breeding Bird atlas Wallonia (Jacob et al 2010), Brussels (Weiserbs 2012) and Flanders (Vermeersch et al 2004) in combination with trend data.

Breeding short-term trend: Common bird monitoring schemes

Breeding long-term trend: Comparison between 2008-2012 estimate and Devillers, 1989 (Atlas of the Belgian Breeding Bird) population estimate

Bulgaria

Breeding population size: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p. SPAs mapping in 2012 Common Bird Monitoring Scheme <http://bspb.org/monitoring/> Geographic Information System with Ornithological Information of BSPB

Breeding short-term trend: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.

Breeding long-term trend: Iankov, P. (ed.) 2007 Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the Protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 679 p.

Croatia

Breeding population size: Tutiš, V., Kralj, J., Radović, D., Ćiković, D. i Barišić, S. (2013): Crvena knjiga ptica Republike Hrvatske. Ministarstvo zaštite okoliša i prirode, Državni zavod za zaštitu prirode, Zagreb (neobjavljeni podaci o procjenama populacija - arhiva Državnog zavoda za zaštitu prirode)

Breeding short-term trend: BiE III Work group, Croatia

Breeding long-term trend: BiE III Work group, Croatia

Czech Republic

Breeding population size: STASTNY K., BEJCEK V. & HUDEC K. 2006: Atlas hnizdního rozšírení ptáků v České republice. Aventinum Praha. JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=782>

Breeding short-term trend: JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=782>

Breeding long-term trend: JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=782>

Denmark

Breeding population size: BIRDLIFE INTERNATIONAL (2004) Birds in Europe: population estimates, trends and conservation status. Wageningen, The Netherlands: BirdLife International. (BirdLife Conservation Series No. 12) Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding short-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding long-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitoligisk Forening. (The Danish Point Count Census for breeding birds during the period 1980-2011)

Estonia

Breeding population size: Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008-2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Breeding short-term trend: Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008-2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Breeding long-term trend: Elts, J., Leito, A., Leivits, A., Luigjõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008-2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Finland

Breeding population size: Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.

Breeding short-term trend: Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.

Phylloscopus trochilus (Willow Warbler)

Finland

Breeding long-term trend: Bird monitoring schemes of the Finnish Museum of Natural History, University of Helsinki.

France

Breeding population size: <http://www.atlas-ornitho.fr/> RAEVEL P. 1994 Pouillot fitis *Phylloscopus trochilus*, Société Ornithologique de France, p. 588-589 Muséum National d'Histoire Naturelle. coord 2012 Cahiers d'habitats Natura 2000 - connaissance et gestion des habitats et des espèces d'intérêt communautaire. Tome 8 Oiseaux (volume 1 de l'Aigle botté à la Fauvette pitchou, 382 pages ; volume 2 de la Fauvette sarde à l'Oie cendrée, 390 pages ; volume 3 de l'Oie des moissons au Venturon montagnard, 384 pages), La documentation française, Paris

Breeding short-term trend: <http://vigenature.mnhn.fr/page/pouillot-fitis>

Breeding long-term trend: <http://vigenature.mnhn.fr/page/pouillot-fitis>

Georgia

Breeding population size: BirdLife International 2004

Germany

Breeding population size: Gedeon, K., C. Grüneberg, A. Mitschke & C. Sudfeldt (in Vorb.): Atlas Deutscher Brutvogelarten. SVD & DDA, Münster.

Breeding short-term trend: Monitoring häufiger Brutvögel

Breeding long-term trend: Monitoring häufiger Brutvögel

Hungary

Breeding population size: MME Nomenclator Bizottság (2008): Magyarország madarainak névjegyzéke. Nomenclator avium Hungariae. Magyar Madártani és Természetvédelmi Egyesület, Budapest. p. 278.

Breeding short-term trend: National common bird monitoring scheme (MMM) database. Szép, T., Nagy, K., Nagy, Zs. & Halmos, G. (2012): Population trends of common breeding and wintering birds in Hungary, decline of long-distance migrant and farmland birds during 1999-2012. *Ornis Hungarica* 2012. 20(2): 13-63.

Republic of Ireland

Breeding population size: Crowe, O., Musgrove, A.J. & O'Halloran, J. (2014). Generating population estimates for common and widespread breeding birds in Ireland. *Bird Study* 61 (1) 82 - 90.

Breeding short-term trend: Crowe, O. (2013). Calculation of short-term trends for Common and Widespread Breeding Birds for Article 12 Reporting. Unpublished report.

Breeding long-term trend: Balmer, D., Gillings, S., Caffrey, B., Swan, B., Downie, I. & Fuller, R. (2013) *Bird Atlas 2007-11 The breeding and wintering birds of Britain and Ireland*. British Trust for Ornithology. Expert opinion - O. Crowe, BirdWatch Ireland, <http://birdwatchireland.ie/>. Sharrock, J.T.R. (1976) *The Atlas of Breeding Birds in Britain and Ireland*. T. & AD Poyser.

Latvia

Breeding population size: Calculation based on data collected in Latvian Breeding bird monitoring scheme: Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.] (in Latvian) Latvian Ornithological society, 47 pp

Breeding short-term trend: Aunins A. 2012. [Changes in the Abundance of Common Birds in Latvia during the Previous Seven Years]. *Putni Dabā* 2013/1, 10 - 13. Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.]. Latvian Ornithological society, 47 pp.

Breeding long-term trend: Strazds M., Priednieks J., Vaverins G. 1994. Latvijas putnu skaits. – *Putni daba*, 4: 3–18. Aunins A., Keišs O. 2012. [Monitoring for the Farmland Bird Population Index. Final report for the year 2012.]. Latvian Ornithological society, 47 pp.

Liechtenstein

Breeding population size: Willi, G. (2014) Unpublished collection data

Breeding short-term trend: Willi, G. (2006) *Die Vögel des Fürstentums Liechtenstein*. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

Breeding long-term trend: Willi, G. & M.F. Broggi (1986) *Die Vogelwelt des Fürstentums Liechtenstein unter Berücksichtigung der benachbarten Gebiete; Teil III: Passeriformes*. Ber. Bot.-Zool. Ges. Liechtenstein-Sargans-Werdenberg, Band 15, S. 37-82.; Willi, G. (2006) *Die Vögel des Fürstentums Liechtenstein*. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

Lithuania

Breeding population size: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) Jusys, V., Karalius, S., Raudonikis, L. 2012. *Lietuvos paukščių pažinimo vadovas*. Kaunas: „Lututė“, 288 p.

Breeding short-term trend: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) Jusys, V., Karalius, S., Raudonikis, L. 2012. *Lietuvos paukščių pažinimo vadovas*. Kaunas: „Lututė“, 288 p. Kurlavičius, P. (ed.) 2006. *Lietuvos perinčių paukščių atlasas*. Kaunas: „Lututė“, 256 p. Raudonikis L. 2004. Lithuania. In: *Birds in Europe: population estimates, trends, and conservation status*. BirdLife International, BirdLife Conservation Series No12, Cambridge, UK.

Breeding long-term trend: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) BirdLife International/European Bird Census Council. 2000. European bird populations: estimates and trends. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 10). Kurlavičius, P. (ed.) 2006. *Lietuvos perinčių paukščių atlasas*. Kaunas: „Lututė“, 256 p.

Luxembourg

Breeding population size: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): *Die Vögel Luxemburgs*. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

Breeding short-term trend: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): *Die Vögel Luxemburgs*. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

Breeding long-term trend: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): *Die Vögel Luxemburgs*. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

Phylloscopus trochilus (Willow Warbler)

Moldova

Breeding population size: The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

Breeding short-term trend: The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

Breeding long-term trend: Burfield I., Bommel van F., Birds in Europe. Population estimates, trends and conservation status. BirdLife International. Oxford, 2004. 374p.
Zubcov, N., Birds of Moldova // The Birds of the Western Palearctic. Oxford University Press, Oxford. 1998, 1850 p.

Netherlands

Breeding population size: NEM, Sovon en CBS, SOVON (2002)

Breeding short-term trend: NEM, Sovon en CBS, Boele et al. (2013)

Breeding long-term trend: NEM, Sovon en CBS

Norway

Breeding population size: Shimmings P. & Øien, I.J. 2015. Bestandsestimator og trender for norske hekkefugler. NOF-rapport 2015-2.

Breeding short-term trend: 1). Lehkoinen, A., Green, M., Husby, M., Kálás, J.A., & Lindström, Å. 2013. Common montane birds are declining in northern Europe. Journal of Avian Biology 44: 1-12. 2). Kálás, J.A., Husby, M., Nilsen, E.B., & Vang, R. 2014. Bestandsvariasjoner for terrestriske fugler i Norge 1996-2013. Norsk Ornitologisk Forening Rapport 4 / 2014.

Breeding long-term trend: Kálás, J.A., Husby, M., Nilsen, E.B., & Vang, R. 2014. Bestandsvariasjoner for terrestriske fugler i Norge 1996-2013. Norsk Ornitologisk Forening Rapport 4 / 2014.

Poland

Breeding population size: Chodkiewicz T., Kuczyński L., Sikora A., Ławicki Ł., Chylarecki P., Neubauer G., Meissner W., Rohde Z. 2013. Opracowanie raportu dla Komisji Europejskiej z wdrażania Dyrektywy Ptasiej w Polsce w zakresie Monitoringu Ptaków Polski w Państwowym Monitoringu Środowiska. Sprawozdanie dla Głównego Inspektoratu Ochrony Środowiska. OTOP, Marki.

Breeding short-term trend: MPPL: Chylarecki P. 2013. Czynniki kształtujące zmiany liczebności pospolitych ptaków Polski w latach 2000-2012. MilZ PAN Warszawa. Bogucki. Wyd. Nauk. 1-126; Chodkiewicz T., Woźniak B., Chylarecki P. 2012. Monitoring Pospolitych Gatunków Ptaków. In: Podsumowanie sezonu lęgowego Monitoringu Ptaków Polski w 2012 r. OTOP, MilZ, KOO, SOS: 29-45 (source: http://monitoringptakow.gios.gov.pl/raporty?file=files/pliki/raporty_faza4/RaportMPP4_etap1_zad2%264_wiosna2012.pdf)

Romania

Breeding population size: "Milvus Group" Bird and Nature Protection Association database, unpublished data Romanian Ornithological Society database, unpublished data Romanian Common Bird Monitoring Database Gurghiu Mountains Ringing Camp Report

Russia

Breeding population size: Ravkin E.S., Ravkin Yu.S. 2005. Birds of Northern Eurasian plains: numbers, distribution, spatial organization of communities. Novosibirsk, Nauka: 304 p. (in Russian). Numerov A.D. 1996. Class Birds Aves. – Natural resources of Voronezh Region. Vertebrate Animals. Cadaster. Voronezh, Biomik: 48-159 (in Russian). Sarychev V.S., unpublished. vssar@yandex.ru Belik V.P. 2005. Cadastre of breeding avifauna of South Russia. Strepet 3, no. 1-2: 5-37 (in Russian).

Breeding short-term trend: Preobrazhenskaya E.S., unpublished. voop21@rambler.ru Khohlova T.Yu., Artemiev A.V. 2007. The main results of the long-term ornithological monitoring in the zone of concentration of birds' ranges in northwest Russia (Karelia, Zaonezhye). - Dynamics of the birds density in terrestrial landscapes. Proc. of the Russian scientific conference. Moscow: 60-74 (in Russian). Rykova S.Yu. 2007. Dynamics of number mass species of birds of Pinega reserve. - Dynamics of the birds density in terrestrial landscapes. Proc. of the Russian scientific conference. Moscow: 75-82 (in Russian). Shepel A.I., unpublished. shai53@mail.ru Yakovleva M.V., unpublished. kivach-bird@rambler.ru Sarychev V.S., unpublished. vssar@yandex.ru

Breeding long-term trend: Preobrazhenskaya E.S., unpublished. voop21@rambler.ru Shepel A.I., unpublished. shai53@mail.ru

Slovakia

Breeding population size: Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Breeding short-term trend: Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Breeding long-term trend: Danko Štefan, Darolová Alžbeta, Krištín Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Slovenia

Breeding population size: Denac, K., T. Mihelič, L. Božič, P. Kmecl, T. Jančar, J. Figelj & B. Rubinić (2011): Strokovni predlog za revizijo posebnih območij varstva (SPA) z uporabo najnovejših kriterijev za določitev mednarodno pomembnih območij za ptice (IBA). Končno poročilo (dopolnjena verzija). Naročnik: Ministrstvo za okolje in prostor. DOPPS – BirdLife, Ljubljana.

Breeding short-term trend: DOPPS-neobjavljen

Breeding long-term trend: DOPPS-neobjavljen

Spain

Breeding population size: Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitología. Madrid, 733 pp. http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx

Breeding short-term trend: Aparicio, R. J. (2012). Mosquitero musical – *Phylloscopus trochilus*. En: Enciclopedia Virtual de los Vertebrados Españoles. Salvador, A., Morales, M. B. (Eds.). Museo Nacional de Ciencias Naturales, Madrid. <http://www.vertebradosibericos.org/>

Breeding long-term trend: Aparicio, R. J. (2012). Mosquitero musical – *Phylloscopus trochilus*. En: Enciclopedia Virtual de los Vertebrados Españoles. Salvador, A., Morales, M. B. (Eds.). Museo Nacional de Ciencias Naturales, Madrid. <http://www.vertebradosibericos.org/>

Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige - antal och förekomst. Sveriges Ornitologiska Förening, Halmstad.

Phylloscopus trochilus (Willow Warbler)

Sweden

Breeding short-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

Breeding long-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

Switzerland

Breeding population size: Original estimate: Schmid, H., R. Luder, B. Naef-Daenzer, R. Graf & N. Zbinden (1998): Schweizer Brutvogelatlas. Verbreitung der Brutvögel in der Schweiz und im Fürstentum Liechtenstein 1993-1996/Atlas des oiseaux nicheurs de Suisse. Distribution des oiseaux nicheurs en Suisse et au Liechtenstein en 1993-1996. Schweizerische Vogelwarte/Station ornithologique suisse, Sempach. Swiss Ornithological Institute: Updated based on population trend.

Breeding short-term trend: Swiss Ornithological Institute. <http://www.vogelwarte.ch/monitoring-common-breeding-birds.html>. Swiss Ornithological Institute: <http://www.vogelwarte.ch/monitoring-breeding-birds-in-wetlands.html>. Min Max refer to 95% Confidence interval.

Breeding long-term trend: Swiss Ornithological Institute: <http://www.vogelwarte.ch/monitoring-breeding-birds-in-wetlands.html>. Min Max refer to 95% Confidence interval.

Ukraine

Breeding population size: 1. Hagemajer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 2. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 3. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemajer/ BirdLife International/EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 4. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158.

Breeding short-term trend: 1. Бокотей А.А., Дзюбенко Н.В., Горбань І.М. та інші. Гніздова орнітофауна басейну Верхнього Дністра. – Львів: ЛНУ, 2010. – 400 с. 2. Dombrowski A., Piotrowska M., Gorban I., Nikiforov M. Status and threats to avifauna. (Eds. Dombrowski A., & Z. Glowacki, та інші). Bug river valleyas the ecological corridor: state-threats-protection. IUCN European Programme. Warsaw. 2002. S. 87-102. 3. Горбань І.М. Рідкісні види птахів Шацького національного парку. // Вісник Львівського університету. Серія біологічна. Вип. 29. 2002. С.188-199.

Breeding long-term trend: 1. Tucker G.M., Heath M.F. Birds in Europe: their conservation status. - Cambridge. U.K. Bird Life Conservation Series №. 3. 1994. 600 p. 2. Hagemajer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 3. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 4. European birds populations; Estimates and trends Compiled by M. Heath, C. Borggreve, N. Peet, W. Hagemajer/ BirdLife International/EBCC. 2000. Cambridge, UK: BirdLife Conservation Series N10, 160 p. 5. Горбань І.М., Бокотей А.А. Вплив трансформаційних процесів на фауну та населення птахів басейну Верхнього Дністра. Дослідження басейнової екосистеми Верхнього Дністра. Збірник наукових праць. 2000. С.145 – 155. 6. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158. 7. Birds in Europe: Population Estimates, Trends and Conservation Status. BirdLife Conservation Series 12; 2004. 374 р. 8. Бокотей А.А., Дзюбенко Н.В., Горбань І.М. та інші. Гніздова орнітофауна басейну Верхнього Дністра. – Львів: ЛНУ, 2010. – 400 с.

United Kingdom

Breeding population size: Gibbons, D.W., Reid, J.B. & Chapman, R.A. 1993. The New Atlas of Breeding Birds in Britain and Ireland: 1988–1991. Poyser, London. Musgrove, A.J., Aebscher, N.J., Eaton, M.A., Hearn, R.D., Newson, S.E., Noble, D.G., Parsons, M., Risely, K. & Stroud, D.A. 2013. Population estimates of birds in Great Britain and the United Kingdom. British Birds 106: 64-100.

Breeding short-term trend: BTO/JNCC/RSPB Breeding Bird Survey data: Risely, K., Massimino, D., Johnston, A., Newson, S.E., Eaton, M.A., Musgrove, A.J., Noble, D.G., Procter, D. & Baillie, S.R. 2012. The Breeding Bird Survey 2011. BTO Research Report 624. British Trust for Ornithology, Thetford. <http://www.bto.org/sites/default/files/u16/downloads/reports/bbsreport11.pdf>

Breeding long-term trend: Baillie, S.R., Marchant, J.H., Leech, D.I., Massimino, D., Eglington, S.M., Johnston, A., Noble, D.G., Barimore, C., Kew, A.J., Downie, I.S., Risely, K. & Robinson, R.A. (2013). BirdTrends 2012: trends in numbers, breeding success and survival for UK breeding birds. Research Report 644. BTO, Thetford. <http://www.bto.org/birdtrends>

Bibliography

- Clement, P. 2006. Willow Warbler (*Phylloscopus trochilus*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds.) 2014. *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (retrieved from <http://www.hbw.com/node/58860> on 26 March 2015).
- Peach, W.J., Crick, H.Q.P. and Marchant, J.H. 1995. The demography of the decline in the British willow warbler population. *Journal of Applied Statistics*, 22(5&6): 905-922.
- Stostad, H.N. and Menéndez, R. 2014. Woodland structure, rather than tree identity, determines the breeding habitat of Willow Warblers *Phylloscopus trochilus* in the northwest of England. *Bird Study*, 61(2), 246-254.
- Thingstad, P.G., Hogstad, O. and Speed, J.D. 2014. The influence of climatic conditions in breeding grounds and migratory flyways on a subalpine Norwegian Willow Warbler *Phylloscopus trochilus* population. *Ornis Fennica*, 91, 00-00.