



THE IUCN RED LIST
OF THREATENED SPECIES™



***Melanocorypha yeltoniensis* (Black Lark)**

European Red List of Birds

Supplementary Material

The European Union (EU27) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2013-14. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2015).

Contents

Reported national population sizes and trends	p. 2
Trend maps of reported national population data	p. 3
Sources of reported national population data	p. 5
Species factsheet bibliography	p. 6

Recommended citation

BirdLife International (2015) European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.

Further information

<http://www.birdlife.org/datazone/info/euroredlist>

<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>

<http://www.iucnredlist.org/initiatives/europe>

<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Melanocorypha yeltoniensis (Black Lark)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
Russia	50-100	100	2008-2012	poor	-	99	2000-2012	good	-	99	1980-2012	good	
EU27	0	<1			n/a								
Europe	50-100	100			Decreasing								

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁵ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁶ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|----------------------------------|
| ↑ Large increase ($\geq 50\%$) | ↓ Large decrease ($\geq 50\%$) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase ($< 20\%$) | ↓ Small decrease ($< 20\%$) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: $< 1\%$ of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.



Figure 2. Breeding population sizes and long-term trends across Europe.



Melanocorypha yeltoniensis (Black Lark)

Sources

Russia

Breeding population size: Belik V.P. 2013. Larks in the semideserts in vicinities of the lake Baskunchak. - Studies of natural complex of vicinities of the lake Baskunchak. Volgograd, Volgograd Sci. Publishing: 22-26 (in Russian). Borodin O.V., Smirnova S.L., expert opinion. spinus73@mail.ru Belik V.P., unpublished. vpbelik@mail.ru

Breeding short-term trend: Belik V.P. 2013. Larks in the semideserts in vicinities of the lake Baskunchak. - Studies of natural complex of vicinities of the lake Baskunchak. Volgograd, Volgograd Sci. Publishing: 22-26 (in Russian). Oparin M.L., Oparina O.S. 2010. Population trends of larks in steppes of Zavolzhye during last century in connection with anthropogenic transformation of habitats and natural processes. – Ornithology in Northern Eurasia. Materials of the XIIIth International Ornithological Conference of Northern Eurasia. Abstracts of papers. Orenburg, Publishing House of the Orenburg State Pedagogical University: 242 (in Russian). Borodin O.V., Smirnova S.L., expert opinion. spinus73@mail.ru

Breeding long-term trend: Lindeman G.V., Lopushkov V.A. 2004. Long-term population trends of larks in clay semidesert of the area east of the Volga River. - Ornitologia 31: 114- (in Russian). Belik V.P. et al. 2003. Recent population trends of breeding birds in the Southern Russia. - Strepet 1: 10-30 (in Russian). Oparin M.L., Oparina O.S. 2010. Population trends of larks in steppes of Zavolzhye during last century in connection with anthropogenic transformation of habitats and natural processes. – Ornithology in Northern Eurasia. Materials of the XIIIth International Ornithological Conference of Northern Eurasia. Abstracts of papers. Orenburg, Publishing House of the Orenburg State Pedagogical University: 242 (in Russian).

Bibliography

Alström, P. 2004. Black Lark (*Melanocorypha yeltoniensis*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds.) 2014. *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (retrieved from <http://www.hbw.com/node/57655> on 21 January 2015).

Hagemeijer, W.J.M. and Blair, M.J. 1997. *The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance*. T & A D Poyser, London.

Tucker, G.M. and Heath, M.F. 1994. *Birds in Europe: their conservation status*. Cambridge, UK: BirdLife International (BirdLife Conservation Series no. 3).