

***Streptopelia decaocto* (Eurasian Collared-dove)**

European Red List of Birds

Supplementary Material

The European Union (EU27) Red List assessments were based principally on the official data reported by EU Member States to the European Commission under Article 12 of the Birds Directive in 2013-14. For the European Red List assessments, similar data were sourced from BirdLife Partners and other collaborating experts in other European countries and territories. For more information, see BirdLife International (2015).

Contents

Reported national population sizes and trends	p. 2
Trend maps of reported national population data	p. 4
Sources of reported national population data	p. 6
Species factsheet bibliography	p. 11

Recommended citation

BirdLife International (2015) European Red List of Birds. Luxembourg: Office for Official Publications of the European Communities.

Further information

<http://www.birdlife.org/datazone/info/euroredlist>

<http://www.birdlife.org/europe-and-central-asia/european-red-list-birds-0>

<http://www.iucnredlist.org/initiatives/europe>

<http://ec.europa.eu/environment/nature/conservation/species/redlist/>

Data requests and feedback

To request access to these data in electronic format, provide new information, correct any errors or provide feedback, please email science@birdlife.org.

Streptopelia decaocto (Eurasian Collared-dove)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
Albania	5,000-10,000	<1	2002-2012	medium	0	0	2002-2012	medium	+	10-20	1980-2012	medium	
Andorra	0-6	<1	2002	medium	?				?				
Armenia	250-500	<1	2002-2012	medium	?				?				
Austria	30,000-50,000	<1	2001-2012	medium	+	20-30	2000-2011	medium	?				
Azerbaijan	10,000-100,000	<1	1996-2000	poor	?				?				
Belarus	4,500-7,000	<1	2008-2012	medium	0	0	2000-2012	medium	0	0	1980-2012	medium	
Belgium	50,000-100,000	1	2008-2012	poor	0	0	2000-2012	medium	0	0	1973-2012	medium	
Bosnia & HG	40,000-70,000	1	2010-2014	poor	F	10-20	2001-2012	poor	?				
Bulgaria	80,000-150,000	1	2005-2012	medium	F	10-20	2000-2012	medium	0	0-10	1980-2012	medium	
Croatia	≥100,000-	1	2014	poor	?				?				
Cyprus	8,000-15,000	<1	2006-2012	medium	0	0	2001-2012	medium	+	100-500	1980-2012	medium	
Czech Rep.	170,000-340,000	2	2012	medium	0	0	2000-2012	good	+	30-66	1982-2012	good	
Denmark	26,000	<1	2011	medium	0	0	1999-2011	good	0	0	1980-2011	good	
DK: Faroe Is	10	<1	1995	medium	?				?				
Estonia	100-200	<1	2008-2012	poor	0	0-10	2001-2012	poor	-	50-70	1980-2012	poor	
Finland	100-200	<1	2006-2010	medium	-	28-58	2000-2011	medium	?				
France	1,000,000-2,000,000	13	2008-2012	medium	+	44-58	2001-2012	good	+	296	1989-2011	medium	
Georgia	Present	<1			?				?				
Germany	110,000-205,000	1	2005-2009	good	+	1-26	1998-2009	good	-	21-50	1990-2009	medium	
Greece	610,000-780,000	7	2007-2013	medium	0	0	2007-2013	medium	+	5-30	1980-2012	medium	
Hungary	291,000-377,000	3	2000-2012	medium	+	44	1999-2012	medium	?				
Rep. Ireland	59,875-196,500	1	2006-2011	good	+	31-100	1998-2011	good	+		1972-2011	medium	
Italy	400,000-600,000	5	2006	poor	+	100-110	2000-2012	medium	+	105-145	1990-2012	poor	
Kosovo	40,000-120,000	1	2009-2014	medium	?				?				
Latvia	166-400	<1	2000-2004	good	?				-	0-67	1994-2004	medium	
Liechtenstein	20-30	<1	2009-2014	medium	-	40-60	2003-2014	medium	F	50	1980-2014	medium	
Lithuania	5,000-10,000	<1	2008-2012	medium	-	10-20	2001-2012	medium	-	10-20	1980-2012	medium	
Luxembourg	1,500-2,000	<1	2008-2012	medium	-	10-20	2000-2012	poor	?				
FYRO Macedonia	5,000-20,000	<1	2001-2012	poor	?				?				
Malta	13-30	<1	2008	good	+	1200-2900	2003-2012	good	+	1200-2900	2003-2012		
Moldova	20,000-40,000	<1	2000-2010	medium	F	0	2000-2010	medium	0	0	1980-2010	medium	
Montenegro	10,000-15,000	<1	2002-2012	poor	?				?				

Streptopelia decaocto (Eurasian Collared-dove)

Table 1. Reported national breeding population size and trends in Europe¹.

Country (or territory) ²	Population estimate				Short-term population trend ⁴				Long-term population trend ⁴				Subspecific population (where relevant)
	Size (pairs) ³	Europe (%)	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	Direction ⁵	Magnitude (%) ⁶	Year(s)	Quality	
Netherlands	50,353-100,707	1	2008-2011	medium	0	0	2002-2011	medium	0	0	1984-2011	medium	
Norway	535-1,170	<1	2000-2013	poor	-	10-25	2000-2013	medium	-	25-50	1980-2013	medium	
Poland	710,000-950,000	8	2008-2012	good	0	0	2000-2012	good	?				
Portugal	10,000-50,000	<1	2008-2012	poor	+	85-125	2004-2011	medium	+		1980-2012	medium	
PT: Azores	Present	<1			?				?				
PT: Madeira	100-500	<1	2009-2012	medium	+		2000-2012	medium					
Romania	170,000-340,000	2	2010-2013	medium	F	0-20	2001-2013	medium	?				
Russia	300,000-500,000	4	2004-2008	poor	-	5-30	2000-2012	medium	F	0	1980-2012	medium	
Serbia	130,000-200,000	2	2008-2012	medium	0	0	2000-2012	medium	+	1-9	1980-2012	medium	
Slovakia	40,000-80,000	1	2002	poor	0	0	2000-2012	poor	0	10-25	1980-2012	poor	
Slovenia	28,000-36,000	<1	2002-2012	good	?				?				
Spain	1,195,000-2,270,000	16	2004-2006	good	+	966	1998-2012	good	+		1980-2012	good	
ES: Canary Is	1,000-2,500	<1	1997-2003	poor	+		2001-2012	medium	+		1980-2012	poor	
Sweden	2,300-4,300	<1	2008-2012	good	0	0	2001-2012	medium	-	25-75	1980-2012	medium	
Switzerland	15,000-20,000	<1	2008-2012	medium	0	0	2001-2012	good	+	9-103	1990-2012	medium	
Turkey	1,000,000-3,000,000	16	2013	poor	+	0-19	2000-2012	medium	+	30-49	1990-2013	poor	
Ukraine	280,000-435,000	3	2000	medium	F	20-30	1998-2010	medium	-	20-50	1980-2012	medium	
United Kingdom	900,000-1,090,000	9	2009	medium	+	10	1998-2010	good	+	46	1980-2010	good	
EU27	5,950,000-9,780,000	72			Increasing								
Europe	7,910,000-14,400,000	100			Increasing								

¹ See 'Sources' at end of factsheet, and for more details on individual EU Member State reports, see the Article 12 reporting portal at <http://bd.eionet.europa.eu/article12/report>.

² The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

³ In the few cases where population size estimates were reported in units other than those specified, they were converted to the correct units using standard correction factors.

⁴ The robustness of regional trends to the effects of any missing or incomplete data was tested using plausible scenarios, based on other sources of information, including any other reported information, recent national Red Lists, scientific literature, other publications and consultation with relevant experts.

⁵ Trend directions are reported as: increasing (+); decreasing (-); stable (0); fluctuating (F); or unknown (?).

⁶ Trend magnitudes are rounded to the nearest integer.

Trend maps

A symbol appears in each country where the species occurs: the shape and colour of the symbol represent the population trend in that country, and the size of the symbol corresponds to the proportion of the European population occurring in that country.

KEY

- | | |
|---|----------------------------------|
| ↑ Large increase ($\geq 50\%$) | ↓ Large decrease ($\geq 50\%$) |
| ↑ Moderate increase (20–49%) | ↓ Moderate decrease (20–49%) |
| ↑ Small increase ($< 20\%$) | ↓ Small decrease ($< 20\%$) |
| ↑ Increase of unknown magnitude | ↓ Decrease of unknown magnitude |
| ■ Stable or fluctuating | |
| □ Unknown | |
| ○ Present (no population or trend data) | |
| × Extinct since 1980 | |

Each symbol, with the exception of Present and Extinct, may occur in up to three different size classes, corresponding to the proportion of the European population occurring in that country.

- ↑ Large: $\geq 10\%$ of the European population
- ↑ Medium: 1–9% of the European population
- ↑ Small: $< 1\%$ of the European population

The designation of geographical entities and the presentation of the material do not imply the expression of any opinion whatsoever on the part of IUCN or BirdLife International concerning the legal status of any country, territory or area, or of its authorities, or concerning the delimitation of its frontiers or boundaries.

Figure 1. Breeding population sizes and short-term trends across Europe.





Figure 2. Breeding population sizes and long-term trends across Europe.



Sources

Albania

Breeding population size: Bino pers. obs.

Breeding short-term trend: Bino pers. obs.

Breeding long-term trend: Bino pers. obs.

Andorra

Breeding population size: BirdLife International 2004

Armenia

Breeding population size: ASPB data

Austria

Breeding population size: BirdLife Austria, extrapolation on the basis of available unpublished and published population and density data

Breeding short-term trend: N. Teufelbauer based on data from the Austrian Common Breeding Bird Monitoring

Azerbaijan

Breeding population size: BirdLife International 2004

Belarus

Breeding population size: Zhuravliev D.V. - personal communication

Breeding short-term trend: Zhuravliev D.V. - personal communication

Breeding long-term trend: Zhuravliev D.V. - personal communication Nikiforov M.E., Kozulin A.V., eds. Belarussian birds at the beginning of XXI century: status, numbers, distribution. - 1997. - Minsk. - 187 p.

Belgium

Breeding population size: Data Breeding Bird atlas Wallonia (Jacob et al 2010), Brussels (Weiserbs 2012) and Flanders (Vermeersch et al 2004) in combination with trend data.

Breeding short-term trend: Common bird monitoring schemes

Breeding long-term trend: Comparison between 2008-2012 estimate and Devillers, 1989 (Atlas of the Belgian Breeding Bird) population estimate

Bosnia and Herzegovina

Breeding population size: unpublsh data

Breeding short-term trend: unpublsh data

Bulgaria

Breeding population size: expert opinion Mitev I. 2007. Eurasian Collared Dove. In: Iankov P. (ed.) 2007. Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 308-309;

Breeding short-term trend: Mitev I. 2007. Eurasian Collared Dove. In: Iankov P. (ed.) 2007. Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 308-309;

Breeding long-term trend: Mitev I. 2007. Eurasian Collared Dove. In: Iankov P. (ed.) 2007. Atlas of Breeding Birds in Bulgaria. Bulgarian Society for the protection of Birds, Conservation Series, Book 10, Sofia, BSPB, 308-309;

Croatia

Breeding population size: BiE III Work group, Croatia

Breeding short-term trend: BiE III Work group, Croatia

Breeding long-term trend: BiE III Work group, Croatia

Cyprus

Breeding population size: Unpublished data for the W of Cyprus by proff Derek Pomeroy; BirdLife Cyprus 2013 Common Birds monitoring scheme data; Bird sightings records as published in BirdLife Cyprus annual reports; Game & fauna Service hunting bag statistics.

Breeding short-term trend: Analysis of records from line transect survey data for the period 2006-2013 using TRIM software. The data was from line transect surveys carried out under three different but compatible common birds survey programmes (one a 2006-12 pilot programme set up by BirdLife Cyprus and the other a 2006-11 W Cyprus programme operated by Proff Derek Pomeroy). These programmes were merged and expanded in 2013 under a Coomon Birds Monitoring programme managed by BirdLife Cyprus. This analysis has been detailed in a September 2013 report by BirdLife Cyprus to the Cyprus government, under a contract to produce the FarmaInD Birds Index for Cyprus.

Breeding long-term trend: Walsh & Pomeroy (2012) Continuing spread of the Collared Dove in W Cyprus, BirdLife Cyprus Annual report 2011; Whaley DJ & Dawes JC, 2003 Cyprus breeding Birds' Atlas; Flint & Stewart BOU Checklist no.6 The Birds Of Cyprus (1992); Signtings data from BirdLife Cyprus annual reports.

Czech Republic

Breeding population size: STASTNY K., BEJCEK V. & HUDEC K. 2006: Atlas hnízdního rozšíření ptaku v České republice. Aventinum Praha. JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=606>

Breeding short-term trend: JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=606>

Streptopelia decaocto (Eurasian Collared-dove)

Czech Republic

Breeding long-term trend: JPSP: <http://jpsp.birds.cz/vysledky.php?taxon=606>

Denmark

Breeding population size: BIRDLIFE INTERNATIONAL (2004) Birds in Europe: population estimates, trends and conservation status. Wageningen, The Netherlands: BirdLife International. (BirdLife Conservation Series No. 12) Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitologisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding short-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitologisk Forening. (The Danish Point Count Census for breeding birds during the period 1999-2011)

Breeding long-term trend: Heldbjerg, H. & Lerche-Jørgensen, M. (2012): Overvågning af de danske almindelige fuglearter i Danmark 1975-2011. Årsrapport for Punkttællingsprojektet. Dansk Ornitologisk Forening. (The Danish Point Count Census for breeding birds during the period 1980-2011)

DK: Faroe Is

Breeding population size: BirdLife International (2004) Birds in Europe: population estimates, trends and conservation status. BirdLife International, Cambridge, UK.

Estonia

Breeding population size: Elts, J., Leito, A., Leivits, A., Luigujõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Breeding short-term trend: Elts, J., Leito, A., Leivits, A., Luigujõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Breeding long-term trend: Elts, J., Leito, A., Leivits, A., Luigujõe, L., Mägi, E., Nellis, Rein, Nellis, Renno, Ots, M., Pehlak, H. 2013. Status and numbers of Estonian birds, 2008–2012. Hirundo 26(2): 80-112. URL: http://www.eoy.ee/hirundo/file_download/149/Elts_et_al_2013_2.pdf

Finland

Breeding population size: Väisänen, Risto A., Hario, Martti & Saurola, Pertti 2011: Population estimates of Finnish birds. In: Valkama, Jari, Vepsäläinen, Ville & Lehikoinen, Alekski 2011: The Third Finnish Breeding Bird Atlas. – Finnish Museum of Natural History and Ministry of Environment. (cited [15.11.2013]) ISBN 978-952-10-7145-4.

Breeding short-term trend: BirdLife Finland 2013: Regional observation summary database of Finnish Birdwatching societies on scarce bird species.

France

Breeding population size: ROCHE J.E., MULLER Y. & SIBLET J.-Ph. 2013 Une méthode d'estimation des oiseaux nicheurs de France, SEOF, p. 241-268 <http://www.birdlife.org/datazone/userfiles/file/Species/BirdsInEurope/BI/E2004Sp2509.pdf> http://www.atlas-ornitho.fr/index.php?m_id=508&frmSpecies=312&y=2013

Breeding short-term trend: Boutin, J.-M., Roux, D. & Eraud, C. 2006 Breeding bird monitoring in France: The ACT survey, 239-241 Boutin, J.-M., Barbier, L. & Roux, D. 2001 Suivi des effectifs nicheurs d'alaudidés, colombidés, turdidés en France: le programme ACT, 53-61 <http://inventaire.naturefrance.fr/presentation/consultation/consultRDM.php?ID=00-367&APPLI=FICHE> Van Strien, A., Pannekoek, J., Hagemeijer, W. & Verstrael, T. 2004 A loglinear Poisson regression method to analyse bird monitoring data, 33-39 <http://vigienature.mnhn.fr/page/tourterelle-turque>

Breeding long-term trend: Boutin, J.-M., Roux, D. & Eraud, C. 2006 Breeding bird monitoring in France: The ACT survey, 239-241 Boutin, J.-M., Barbier, L. & Roux, D. 2001 Suivi des effectifs nicheurs d'alaudidés, colombidés, turdidés en France: le programme ACT, 53-61 <http://inventaire.naturefrance.fr/presentation/consultation/consultRDM.php?ID=00-367&APPLI=FICHE> Van Strien, A., Pannekoek, J., Hagemeijer, W. & Verstrael, T. 2004 A loglinear Poisson regression method to analyse bird monitoring data, 33-39 <http://vigienature.mnhn.fr/page/tourterelle-turque>

Georgia

Breeding population size: BirdLife International 2004

Germany

Breeding population size: Gedeon, K., C. Grüneberg, A. Mitschke & C. Sudfeldt (in Vorb.): Atlas Deutscher Brutvogelarten. SVD & DDA, Münster.

Breeding short-term trend: Monitoring häufiger Brutvögel

Breeding long-term trend: Dachverband Deutscher Avifaunisten e.V.

Greece

Breeding population size: Hellenic Common Birds Monitoring Scheme database, Hellenic Ornithological Society

Breeding short-term trend: Hellenic Common Birds Monitoring Scheme database, Hellenic Ornithological Society

Breeding long-term trend: Hellenic Ornithological Society database

Hungary

Breeding population size: National common bird monitoring scheme (MMM) database. Szép, T., Nagy, K., Nagy, Zs. & Halmos, G. (2012): Population trends of common breeding and wintering birds in Hungary, decline of long-distance migrant and farmland birds during 1999-2012. Ornis Hungarica 2012. 20(2): 13-63.

Breeding short-term trend: National common bird monitoring scheme (MMM) database.

Breeding long-term trend: Magyar, G., Hadarics, T., Waliczky, Z., Schmidt, A., Nagy, T. & Bankovics, A. (1998): Nomenclator avium Hungariae. Magyarország madarainak névjegyzéke. KTM Természetvédelmi Hivatal Madártani Intézete – Magyar Madártani és Természetvédelmi Egyesület – Winter Fair, Budapest – Szeged. p. 202.

Republic of Ireland

Breeding population size: Crowe, O., Musgrove, A.J. & O'Halloran, J. (2014). Generating population estimates for common and widespread breeding birds in Ireland. Bird Study 61 (1) 82 - 90.

Breeding short-term trend: Crowe, O. (2013). Calculation of short-term trends for Common and Widespread Breeding Birds for Article 12 Reporting. Unpublished report.

Breeding long-term trend: Balmer, D., Gillings, S., Caffrey, B., Swan, B., Downie, I. & Fuller, R. (2013) Bird Atlas 2007-11 The breeding and wintering birds of Britain and Ireland. British Trust for Ornithology. Expert opinion - O. Crowe, BirdWatch Ireland, <http://birdwatchireland.ie/>. Sharrock, J.T.R. (1976) The Atlas of Breeding Birds in Britain and Ireland. T. & AD Poyser.

Streptopelia decaocto (Eurasian Collared-dove)

Italy

Breeding population size: Brichetti P & Fracasso G. 2006. Ornitologia italiana. Vol.3 (Stercorariidae-Caprimulgidae). Alberto Perdisa Editore, Bologna

Breeding short-term trend: Rete Rurale Nazionale, LIPU 2013. Uccelli comuni in Italia. Gli andamenti di popolazione dal 2000 al 2012

Breeding long-term trend: Rete Rurale Nazionale, LIPU 2013. Uccelli comuni in Italia. Gli andamenti di popolazione dal 2000 al 2012 BirdLife International 2004. Birds in Europe: population estimates, trends and conservation status Cambridge, UK: BirdLife International. BirdLife Conservation Series No. 12

Kosovo

Breeding population size: NGO "Finch" (2014)

Latvia

Breeding population size: Kerus V. 2011. Latvijas ligzdojoso putnu stavokla parmainas laika no 1980. līdz 2010. gadam. Promocijas darbs. Rīga: Latvijas Universitāte

Breeding long-term trend: Priednieks J., Strazds M., Strazds A., Petrins A. 1989. Latvian Breeding Bird Atlas 1980-1984. Rīga: Zinatne. Kerus V. 2011. Latvijas ligzdojoso putnu stavokla parmainas laika no 1980. līdz 2010. gadam. Promocijas darbs. Rīga: Latvijas Universitāte

Liechtenstein

Breeding population size: Willi, G. (2014) Unpublished collection data

Breeding short-term trend: Willi, G. (2006) Die Vögel des Fürstentums Liechtenstein. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

Breeding long-term trend: Willi, G. & M.F. Broggi (1985) Die Vogelwelt des Fürstentums Liechtenstein unter Berücksichtigung der benachbarten Gebiete; Teil II: Galliformes (Hühnervögel) – Piciformes (Spechtvögel). Ber. Bot.-Zool. Ges. Liechtenstein-Sargans-Werdenberg, Band 14, S. 103-143.; Willi, G. (2006) Die Vögel des Fürstentums Liechtenstein. Amtlicher Lehrmittelverlag, Vaduz (Naturkundliche Forschung im Fürstentum Liechtenstein, Bd. 22.

Lithuania

Breeding population size: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) Jusys, V., Karalius, S., Raudonikis, L. 2012. Lietuvos paukščių pažinimo vadovas. Kaunas: „Lututė“, 288 p.

Breeding short-term trend: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) Jusys, V., Karalius, S., Raudonikis, L. 2012. Lietuvos paukščių pažinimo vadovas. Kaunas: „Lututė“, 288 p. Kurlavičius, P. (ed.) 2006. Lietuvos perinčių paukščių atlasas. Kaunas: „Lututė“, 256 p. Raudonikis L. 2004. Lithuania. In: Birds in Europe: population estimates, trends, and conservation status. BirdLife International, BirdLife Conservation Series No12, Cambridge, UK.

Breeding long-term trend: Expert working group of the Lithuanian Ornithological Society (lod@birdlife.lt) BirdLife International/European Bird Census Council. 2000. European bird populations: estimates and trends. Cambridge, UK: BirdLife International (BirdLife Conservation Series No. 10). Kurlavičius, P. (ed.) 2006. Lietuvos perinčių paukščių atlasas. Kaunas: „Lututė“, 256 p.

Luxembourg

Breeding population size: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): Die Vögel Luxemburgs. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

Breeding short-term trend: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): Die Vögel Luxemburgs. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

Breeding long-term trend: LUXOR (2013): NATUR&EMWELT - BIRD-DATABASE, LUXEMBOURG Recorder (2013): database, Musée national d'histoire naturelle, Luxembourg Lorgé P., E. Melchior (2010): Die Vögel Luxemburgs. LNVL, Luxembourg. ISBN: 978-2-919920-01-3

The Former Yugoslav Republic of Macedonia

Breeding population size: M. Velevski, unedited data

Malta

Breeding population size: Raine, A.; Sultana, J. & Gillings, S. (2009): Malta Breeding Bird Atlas 2008. Malta: BirdLife Malta.

Breeding short-term trend: Baldacchino, A.E. & Azzopardi, J. (2007): L-Ghasafar li Jbejtu fl-Ambjent Naturali tal-Gzejjer Maltin. Malta: Malta University Publishers Ltd. Fenech, N. (2010): A Complete Guide to the Birds of Malta. Malta: Midsea Books Ltd. Raine, A.; Sultana, J. & Gillings, S. (2009): Malta Breeding Bird Atlas 2008. Malta: BirdLife Malta. Sultana, J.; Borg, J.J.; Gauci, C. & Falzon, V. (2011): The Breeding Birds of Malta. Malta: BirdLife Malta & BDL Publishing.

Breeding long-term trend: The Collared Dove first bred (one pair) in the Maltese Islands in 2003.

Moldova

Breeding population size: The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

Breeding short-term trend: The Atlas of the Breeding Birds of Republic of Moldova. 2010. 100p.

Breeding long-term trend: Аверин Ю. В., Ганя И.М., Успенский Г. Птицы Молдавии, Кишинев, 1981, 240p Burfield I., Bommel van F., Birds in Europe. Population estimates, trends and conservation status. BirdLife International. Oxford, 2004. 374p.

Montenegro

Breeding population size: Puzovic, S., Simic, D., Saveljić, D., Gergelj, J., Tucakov, M., Stojnic, N., Hulo, I., Ham, I., Vizi, O., Sciban, M., Ruzic, M., Vucanovic, M., Jovanovic, T. (2004): Birds of Serbia and Montenegro – Size of nesting populations. I trends: 1990-2002. Ciconia 12,

Netherlands

Breeding population size: NEM, Sovon en CBS, SOVON (2002)

Breeding short-term trend: NEM, Sovon en CBS, Boele et al. (2013)

Breeding long-term trend: NEM, Sovon en CBS

Norway

Breeding population size: County bird recording committees (LRSK)

Streptopelia decaocto (Eurasian Collared-dove)

Norway

Breeding short-term trend: County bird recorders

Breeding long-term trend: county bir recorders

Poland

Breeding population size: Chodkiewicz T., Kuczyński L., Sikora A., Ławicki Ł., Chylarecki P., Neubauer G., Meissner W., Rohde Z. 2013. Opracowanie raportu dla Komisji Europejskiej z wdrażania Dyrektywy Ptasiej w Polsce w zakresie Monitoringu Ptaków Polski w Państwowym Monitoringu Środowiska. Sprawozdanie dla Głównego Inspektoratu Ochrony Środowiska. OTOP, Marki.

Breeding short-term trend: MPPL: Chylarecki P. 2013. Czynniki kształtujące zmiany liczebności pospolitych ptaków Polski w latach 2000-2012. MiIZ PAN Warszawa. Bogucki. Wyd. Nauk. 1-126; Chodkiewicz T., Woźniak B., Chylarecki P. 2012. Monitoring Pospolitych Gatunków Ptaków. In: Podsumowanie sezonu lęgowego Monitoringu Ptaków Polski w 2012 r. OTOP, MiIZ, KOO, SOS: 29-45 (source: http://monitoringptakow.gios.gov.pl/raporty?file=files/pliki/raporty_faza4/RaportMPP4_etap1_zad2%264_wiosna2012.pdf)

Portugal

Breeding population size: Equipa Atlas (2008). Atlas das Aves Nidificantes em Portugal (1999-2005). Instituto da Conservação da Natureza e da Biodiversidade, Sociedade Portuguesa para o Estudo das Aves, Parque Natural da Madeira e Secretaria Regional do Ambiente e do Mar. Assírio e Alvim. Lisboa

Breeding short-term trend: Programa Censos de Aves Comuns (CAC)

Breeding long-term trend: Reino, LM, Dias, S & Elias G (1998). Distribution and expansion of Collared dove *Streptopelia decaocto* (Frisvaldsky, 1838) in Portugal. *Portugaliae Zoológica*, 5 (1): 1-9; Equipa Atlas (2008). Atlas das Aves Nidificantes em Portugal (1999-2005). Instituto da Conservação da Natureza e da Biodiversidade, Sociedade Portuguesa para o Estudo das Aves, Parque Natural da Madeira e Secretaria Regional do Ambiente e do Mar. Assírio e Alvim. Lisboa; Rufino R (coord.) (1989). Atlas das aves nidificantes em Portugal Continental. Serviço Nacional de Parques, Reservas e Conservação da Natureza. Lisboa.

PT: Azores

PT: Madeira

Breeding population size: Equipa Atlas, 2013 - http://www.atlasdasaves.netmadeira.com/index.php?option=com_content&view=article&id=178&Itemid=66 =pt

Breeding short-term trend: Equipa Atlas, 2013 - http://www.atlasdasaves.netmadeira.com/index.php?option=com_content&view=article&id=178&Itemid=66 =pt Oliveira, P. & Sepúlveda, P. (2011). Contribuição do Atlas das Aves Nidificantes de Portugal e do Primeiro Atlas das Aves da Madeira para a actualização da listagem das aves nidificantes no Arquipélago da Madeira. SPEA 2011. Livro de resumos - VII Congresso de Ornitologia & I Jornadas Macaronésicas de Ornitologia Sociedade Portuguesa para o Estudo das Aves, Lisboa.

Breeding long-term trend: This species has seen its nesting confirmed only in the late 2000s (Oliveira & Sepúlveda, 2011), and since there has been a significant increase in its breeding population in the archipelago.

Romania

Breeding population size: Romanian Commonbird Monitoring Programme, 2007-2012 SOR database, Milvus database

Breeding short-term trend: Romanian Commonbird Monitoring Programme, 2007-2012 SOR database, Milvus database

Breeding long-term trend: Romanian Commonbird Monitoring Programme, 2007-2012 SOR database, Milvus database

Russia

Breeding population size: Bobenko O.A. 2014. Present abundance of doves and pigeons in Stavropolsky Krai. - Russian Ornithological Magazine, express-issue 23 (955): 62-63 (in Russian). Belik V.P. 2005. Cadastre of breeding avifauna of South Russia. - *Strept* 3, no. 1-2: 5-37 (in Russian). Sarychev V.S. (ed.) 2009. Vertebrates of Lipetsk Region. Voronezh: 494 p. (in Russian). Klimov S.M., Sarychev V.S., Melnikov M.V., Zemlyanukhin A.I. 2004. Fauna of the Upper Don Basin. Nonpasserines. Lipetsk, LGPU: 224 p. (in Russian). Borodin O.V., Smirnova S.L., expert opinion. spinus73@mail.ru

Breeding short-term trend: Bobenko O.A. 2014. Present abundance of doves and pigeons in Stavropolsky Krai. - Russian Ornithological Magazine, express-issue 23 (955): 62-63 (in Russian). Sarychev V.S. (ed.) 2009. Vertebrates of Lipetsk Region. Voronezh: 494 p. (in Russian). Klimov S.M., Sarychev V.S., Melnikov M.V., Zemlyanukhin A.I. 2004. Fauna of the Upper Don Basin. Nonpasserines. Lipetsk, LGPU: 224 p. (in Russian). Borodin O.V., Smirnova S.L., expert opinion. spinus73@mail.ru Malovichko L.V., unpublished. l-malovichko@yandex.ru

Breeding long-term trend: Bobenko O.A. 2014. Present abundance of doves and pigeons in Stavropolsky Krai. - Russian Ornithological Magazine, express-issue 23 (955): 62-63 (in Russian). Sarychev V.S. (ed.) 2009. Vertebrates of Lipetsk Region. Voronezh: 494 p. (in Russian). Klimov S.M., Sarychev V.S., Melnikov M.V., Zemlyanukhin A.I. 2004. Fauna of the Upper Don Basin. Nonpasserines. Lipetsk, LGPU: 224 p. (in Russian). Borodin O.V., Smirnova S.L., expert opinion. spinus73@mail.ru

Serbia

Breeding population size: BPSSS (2014) Unpublished data

Breeding short-term trend: BPSSS (2014) Unpublished data

Breeding long-term trend: BPSSS (2014) Unpublished data

Slovakia

Breeding population size: Danko Štefan, Darolová Alžbeta, Krištin Anton: Rozšírenie vtákov na Slovensku. VEDA, vyd. SAV Bratislava, 2002.

Breeding short-term trend: Krištin, A.

Breeding long-term trend: Krištin, A.

Slovenia

Breeding population size: Mihelič, T. (2013): Novi ornitološki atlas gnezdičk Slovenije 2002-2010. Internetna baza podatkov. Spletna stran: <http://www.ptice.si/atlas>. Društvo za opazovanje in proučevanje ptic Slovenije, DOPPS - BirdLife Slovenija. Ljubljana.

Breeding short-term trend: Mihelič, T. (2013): Novi ornitološki atlas gnezdičk Slovenije 2002-2010. Internetna baza podatkov. Spletna stran: <http://www.ptice.si/atlas>. Društvo za opazovanje in proučevanje ptic Slovenije, DOPPS - BirdLife Slovenija. Ljubljana.

Breeding long-term trend: Mihelič, T. (2013): Novi ornitološki atlas gnezdičk Slovenije 2002-2010. Internetna baza podatkov. Spletna stran: <http://www.ptice.si/atlas>. Društvo za opazovanje in proučevanje ptic Slovenije, DOPPS - BirdLife Slovenija. Ljubljana.

Streptopelia decaocto (Eurasian Collared-dove)

Spain

Breeding population size: Carrascal, L.M. & D. Palomino (2008). Las aves comunes reproductoras en España. Población en 2004-2006. (Seguimiento de Aves, 19). SEO/BirdLife. Madrid. 202 pp. http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/19_paseriformes_2004_2006_tcm7-218232.pdf

Breeding short-term trend: SEO/BirdLife (2013). Resultados del programa Sacre de SEO/BirdLife. SEO/BirdLife. Madrid. Información obtenida a partir de la Base de Datos del Inventario de especies terrestres. Seguimiento de Aves SACRE. (Ministerio de Agricultura, Alimentación y Medio Ambiente). http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/tendencia_aves_comunes_espania.aspx Gráfica de la tendencia poblacional: http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/ieet_aves_sist_seg_tendencia_comunes_esp.aspx <http://www.seo.org/RESULTADOS-SEGUIMIENTO-DE-AVES/>

Breeding long-term trend: Martí, R. & del Moral, J.C. (Eds.) (2003). Atlas de las Aves Reproductoras de España. Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitología. Madrid, 733 pp. http://www.magrama.gob.es/es/biodiversidad/temas/inventarios-nacionales/inventario-especies-terrestres/inventario-nacional-de-biodiversidad/ieet_aves_atlas.aspx Purroy, F.J. (Coord.) (1997). Atlas de las aves de España (1975-1995). SEO/BidLife. Lynx Edicions. Barcelona. 583 pp.

ES: Canary Is

Breeding population size: Martín, A. & J. A. Lorenzo. 2001. Aves del Archipiélago Canario. Francisco Lemus Editor. La Laguna. 787 pp. Lorenzo, J.A. 2007 (ed). Atlas de las Aves Nidificantes en el Archipiélago Canario (1997-2003). Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitología. Madrid. 520 pp.

Breeding short-term trend: Martín, A. & J. A. Lorenzo. 2001. Aves del Archipiélago Canario. Francisco Lemus Editor. La Laguna. 787 pp. Lorenzo, J.A. 2007 (ed). Atlas de las Aves Nidificantes en el Archipiélago Canario (1997-2003). Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitología. Madrid. 520 pp.

Breeding long-term trend: Martín, A. & J. A. Lorenzo. 2001. Aves del Archipiélago Canario. Francisco Lemus Editor. La Laguna. 787 pp. Lorenzo, J.A. 2007 (ed). Atlas de las Aves Nidificantes en el Archipiélago Canario (1997-2003). Dirección General de Conservación de la Naturaleza-Sociedad Española de Ornitología. Madrid. 520 pp.

Sweden

Breeding population size: Ottosson, U., Ottvall, R., Elmberg, J., Green, M., Gustafsson, R., Haas, F., Holmqvist, N., Lindström, Å., Nilsson, L., Svensson, M., Svensson, S. & Tjernberg, M. 2012. Fåglarna i Sverige - antal och förekomst. Sveriges Ornitologiska Förening, Halmstad.

Breeding short-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

Breeding long-term trend: Swedish Bird Survey (Svensk Fågeltaxering), Lund University.

Switzerland

Breeding population size: Original estimate: Schmid, H., R. Luder, B. Naef-Daenzer, R. Graf & N. Zbinden (1998): Schweizer Brutvogelatlas. Verbreitung der Brutvögel in der Schweiz und im Fürstentum Liechtenstein 1993-1996/Atlas des oiseaux nicheurs de Suisse. Distribution des oiseaux nicheurs en Suisse et au Liechtenstein en 1993-1996. Schweizerische Vogelwarte/Station ornithologique suisse, Sempach. Swiss Ornithological Institute: checked with population trend: no change.

Breeding short-term trend: Swiss Ornithological Institute. <http://www.vogelwarte.ch/monitoring-common-breeding-birds.html>. 95% Confidence interval see point 3.3.

Breeding long-term trend: Swiss Ornithological Institute. <http://www.vogelwarte.ch/monitoring-common-breeding-birds.html>. Data before 1999 from less standardised survey. Min Max refer to 95% Confidence interval.

Turkey

Breeding population size: Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12) www.kusbank.org

Breeding short-term trend: Doğa Derneği, Eken G., Bozdoğan M., İsfendiyaroğlu S., Kılıç D.T., Lise Y. (2006) Key Biodiversity Areas of Turkey (Türkiye'nin Önemli Doğa Alanları) Doğa Derneği, Ankara, KILIÇ, T., EKEN, G. 2004, Türkiye'nin Önemli Kuş Alanları Güncellemesi, Doğa Derneği. Ankara.

Breeding long-term trend: Birdlife International (2004) Birds in Europe: population estimates, trends and conservation status, Cambridge UK: Birdlife International (Birdlife Conservation series no: 12)

Ukraine

Breeding population size: 1. Tucker G.M., Heath M.F. Birds in Europe: their conservation status. - Cambridge. U.K. Bird Life Conservation Series № 3. 1994. 600 p. 2. Hagemajjer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 3. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 4. Experts: I. Gorban

Breeding short-term trend: 1. Горбань І. Оцінка чисельності гніздових птахів України. Вісник Львівського університету. Серія біологічна. Випуск 34. 2003. с. 147 – 158. 2. Experts: I.Gorban

Breeding long-term trend: 1. Tucker G.M., Heath M.F. Birds in Europe: their conservation status. - Cambridge. U.K. Bird Life Conservation Series № 3. 1994. 600 p. 2. Hagemajjer W.J.M., Blair M.J. The EBCC Atlas of European Breeding Birds: Their Distribution and Abundance. Poyser. - London. 1997. 903 p. 3. Heath M.F., Evans M.I. Important birds areas in Europe. Priority sites for conservation. // Southern Europe. BirdLife International. - Cambridge. Vol.2., 2000. P. 691-724. 4. Experts: I.Gorban

United Kingdom

Breeding population size: Newson, S.E., Evans, K.L., Noble, D.G., Greenwood, J.J.D. & Gaston, K.J. 2008. Use of distance sampling to improve estimates of national population sizes for common and widespread breeding birds in the UK. Journal of Applied Ecology 45: 1330–1338. Musgrove, A.J., Aebischer, N.J., Eaton, M.A., Hearn, R.D., Newson, S.E., Noble, D.G., Parsons, M., Risely, K. & Stroud, D.A. 2013. Population estimates of birds in Great Britain and the United Kingdom. British Birds 106: 64-100.

Breeding short-term trend: BTO/JNCC/RSPB Breeding Bird Survey data: Risely, K., Massimino, D., Johnston, A., Newson, S.E., Eaton, M.A., Musgrove, A.J., Noble, D.G., Procter, D. & Baillie, S.R. 2012. The Breeding Bird Survey 2011. BTO Research Report 624. British Trust for Ornithology, Thetford. <http://www.bto.org/sites/default/files/u16/downloads/reports/bbsreport11.pdf>

Breeding long-term trend: Baillie, S.R., Marchant, J.H., Leech, D.I., Massimino, D., Eglington, S.M., Johnston, A., Noble, D.G., Barimore, C., Kew, A.J., Downie, I.S., Risely, K. & Robinson, R.A. (2013). BirdTrends 2012: trends in numbers, breeding success and survival for UK breeding birds. Research Report 644. BTO, Thetford. <http://www.bto.org/birdtrends>

Bibliography

Baptista, L.F., Trail, P.W., Horblit, H.M. and Boesman, P. 2013. Eurasian Collared-dove (*Streptopelia decaocto*). In: del Hoyo, J., Elliott, A., Sargatal, J., Christie, D.A. and de Juana, E. (eds.) 2013. *Handbook of the Birds of the World Alive*. Lynx Edicions, Barcelona. (retrieved from <http://www.hbw.com/node/54154> on 6 October 2014).